

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサジ抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2023/4/12	20	上	17.9	1.5	6.5	0.5	17.1	<0.5	11	11,000	8.3	4	0.62	0.053	-	-	-	0.006
		中				2.0	17.1	2.0	10	12,000	8.2	-	-	-	-	-	-	-
		下				4.5	17.1	1.6	8.8	14,000	8.1	-	-	-	-	-	-	-
	21	上	18.6	1.3	8.1	0.5	16.0	3.7	12	11,000	8.4	7	0.32	0.034	-	-	-	<0.005
		中				2.0	16.0	3.7	12	12,000	8.4	-	-	-	-	-	-	-
		下				6.1	16.0	1.9	9.1	16,000	8.1	-	-	-	-	-	-	-
	25	上	18.0	1.5	13.6	0.5	15.5	2.7	12	12,000	8.3	6	0.28	0.030	-	-	-	<0.005
		中				2.0	15.7	3.2	12	13,000	8.3	-	-	-	-	-	-	-
		下				10.0	15.6	1.6	9.2	15,000	8.1	-	-	-	-	-	-	-
	30	上	17.6	1.9	5.5	0.5	17.0	3.7	11	10,000	8.2	2	0.69	0.046	-	-	-	0.008
31	上	18.7	1.3	5.0	0.5	17.4	2.7	9.9	11,000	8.1	3	0.58	0.072	-	-	-	0.008	
2023/5/10	20	上	20.5	1.6	6.4	0.5	19.0	1.8	8.1	7,300	7.7	<1	0.59	0.036	<0.5	-	<2	0.005
		中				2.0	18.0	1.5	6.7	11,000	7.9	-	-	-	-	-	-	-
		下				4.4	16.6	1.9	7.0	14,000	7.9	-	-	-	-	-	-	-
	21	上	18.9	1.2	8.2	0.5	18.0	1.9	9.2	7,500	7.8	1	0.51	0.046	<0.5	-	2	<0.005
		中				2.0	17.7	1.6	8.6	9,000	8.0	-	-	-	-	-	-	-
		下				6.2	16.6	1.8	6.4	16,000	8.0	-	-	-	-	-	-	-
	25	上	18.3	1.0	12.4	0.5	17.4	1.8	9.0	5,400	7.9	7	0.41	0.045	<0.5	36	<2	<0.005
		中				2.0	17.0	1.8	9.5	5,900	7.9	-	-	-	-	-	-	-
		下				10.0	16.2	1.6	6.2	17,000	8.0	-	-	-	-	-	-	-
	30	上	20.0	1.2	4.9	0.5	18.6	1.7	8.7	6,900	7.8	4	0.73	0.053	<0.5	-	<2	0.005
31	上	23.0	1.4	4.8	0.5	20.0	1.8	8.3	6,500	7.8	6	0.75	0.077	<0.5	-	2	0.005	
2023/6/6	20	上	22.2	2.8	6.0	0.5	20.5	1.9	6.6	8,800	7.7	<1	0.73	0.080	-	-	-	0.005
		中				2.0	19.8	1.5	5.1	12,000	7.8	-	-	-	-	-	-	-
		下				4.0	18.8	1.9	4.9	15,000	7.8	-	-	-	-	-	-	-
	21	上	20.7	2.8	7.5	0.5	19.7	1.8	8.9	7,600	8.0	2	0.58	0.052	-	-	-	<0.005
		中				2.0	19.9	1.8	6.4	12,000	7.9	-	-	-	-	-	-	-
		下				5.5	19.2	1.4	5.1	15,000	7.9	-	-	-	-	-	-	-
	25	上	20.0	1.8	13.0	0.5	19.5	2.3	10	6,900	8.1	5	0.61	0.060	-	-	-	<0.005
		中				2.0	20.0	2.2	9.4	7,900	8.0	-	-	-	-	-	-	-
		下				10.0	18.9	1.9	5.7	16,000	7.9	-	-	-	-	-	-	-
	30	上	22.2	2.0	4.6	0.5	20.4	1.9	6.5	9,400	7.8	2	0.76	0.065	-	-	-	0.005
31	上	22.4	1.6	4.2	0.5	23.0	2.1	5.8	9,700	7.8	3	0.89	0.071	-	-	-	0.008	

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサジ抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2023/7/6	20	上	28.0	1.2	6.7	0.5	27.1	3.0	7.7	6,400	8.1	4	0.71	0.046	-	-	-	0.008
		中				2.0	26.1	2.6	6.9	9,800	8.1	-	-	-	-	-	-	
		下				4.7	24.3	2.7	6.9	13,000	8.1	-	-	-	-	-	-	
	21	上	28.3	1.2	8.1	0.5	25.7	3.3	8.7	6,600	8.3	6	0.52	0.057	-	-	-	0.007
		中				2.0	25.3	3.0	8.6	7,700	8.2	-	-	-	-	-	-	
		下				6.1	24.2	2.4	5.5	13,000	8.1	-	-	-	-	-	-	
	25	上	28.0	0.8	13.8	0.5	25.6	4.1	10	5,800	8.6	11	0.28	0.034	-	-	-	<0.005
		中				2.0	25.7	3.9	10	5,700	8.6	-	-	-	-	-	-	
		下				10.0	21.6	1.8	4.4	16,000	7.9	-	-	-	-	-	-	
	30	上	28.8	2.2	5.2	0.5	27.0	3.4	8.3	5,300	8.3	5	0.80	0.071	-	-	-	0.008
31	上	28.6	1.6	4.0	0.5	27.3	3.0	8.7	7,100	8.2	6	0.45	0.034	-	-	-	0.008	
2023/8/2	20	上	30.4	1.8	5.7	0.5	30.6	2.1	6.3	11,000	8.0	3	0.33	0.061	<0.5	-	7	<0.005
		中				2.0	29.5	1.9	6.3	11,000	8.0	-	-	-	-	-	-	
		下				3.7	26.1	1.6	3.4	15,000	7.9	-	-	-	-	-	-	
	21	上	31.4	2.1	7.1	0.5	30.3	2.1	7.2	12,000	8.1	4	0.28	0.052	<0.5	-	12	0.005
		中				2.0	29.5	2.0	7.6	11,000	8.0	-	-	-	-	-	-	
		下				5.1	27.4	1.7	5.1	13,000	8.0	-	-	-	-	-	-	
	25	上	30.4	2.0	13.6	0.5	29.6	2.3	8.5	12,000	8.2	3	0.21	0.043	<0.5	1	9	<0.005
		中				2.0	29.4	2.4	8.0	12,000	8.2	-	-	-	-	-	-	
		下				10.0	25.7	1.8	8.2	16,000	8.1	-	-	-	-	-	-	
	30	上	31.0	1.4	4.4	0.5	30.3	2.9	8.9	10,000	8.1	3	0.65	0.083	<0.5	-	21	0.006
31	上	31.0	1.8	8.4	0.5	30.8	2.4	7.3	10,000	8.0	3	0.42	0.075	<0.5	-	11	0.008	
2023/9/15	20	上	31.7	2.6	6.5	0.5	29.0	2.2	5.0	11,000	7.9	1	0.52	0.076	-	-	-	0.012
		中				2.0	29.4	2.2	5.2	11,000	7.9	-	-	-	-	-	-	
		下				4.5	28.4	2.0	2.2	15,000	7.7	-	-	-	-	-	-	
	21	上	31.0	2.5	7.4	0.5	28.9	2.4	7.8	10,000	8.1	4	0.49	0.067	-	-	-	<0.005
		中				2.0	29.2	2.3	6.5	11,000	8.0	-	-	-	-	-	-	
		下				5.4	28.8	2.1	2.5	15,000	7.8	-	-	-	-	-	-	
	25	上	30.7	3.2	11.6	0.5	29.0	2.7	10	10,000	8.4	4	0.33	0.047	-	-	-	<0.005
		中				2.0	29.0	2.7	9.8	11,000	8.3	-	-	-	-	-	-	
		下				9.6	27.0	2.0	2.2	19,000	7.8	-	-	-	-	-	-	
	30	上	30.0	2.5	5.0	0.5	29.7	2.2	4.8	11,000	7.9	7	0.61	0.087	-	-	-	0.006
31	上	29.6	2.6	4.8	0.5	30.1	2.2	5.5	11,000	7.8	4	1.0	0.088	-	-	-	0.007	

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサジ抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2023/10/3	20	上	25.9	1.8	6.3	0.5	26.4	1.6	3.5	18,000	7.7	4	0.44	0.13	-	-	-	<0.005
		中				2.0	26.1	1.6	2.0	18,000	7.7	-	-	-	-	-	-	
		下				4.3	26.0	1.5	2.5	18,000	7.7	-	-	-	-	-	-	
	21	上	26.4	3.0	8.5	0.5	24.6	1.6	5.5	16,000	7.8	3	0.28	0.091	-	-	-	<0.005
		中				2.0	25.0	1.7	4.7	17,000	7.8	-	-	-	-	-	-	
		下				6.5	25.4	1.5	2.8	18,000	7.7	-	-	-	-	-	-	
	25	上	22.2	7.0	13.5	0.5	25.7	1.8	7.5	17,000	8.1	1	0.12	0.053	-	-	-	<0.005
		中				2.0	25.5	1.9	7.3	17,000	8.1	-	-	-	-	-	-	
		下				10.0	26.0	1.5	3.2	18,000	7.7	-	-	-	-	-	-	
	30	上	24.8	2.9	5.5	0.5	25.5	1.9	3.9	17,000	7.7	5	0.51	0.17	-	-	-	<0.005
31	上	25.4	2.1	4.8	0.5	26.9	2.0	3.3	18,000	7.7	4	0.51	0.16	-	-	-	<0.005	
2023/11/9	20	上	19.3	5.0	6.3	0.5	21.7	2.1	4.5	16,000	7.9	3	0.44	0.060	<0.5	-	<2	0.009
		中				2.0	21.1	2.2	5.1	17,000	8.0	-	-	-	-	-	-	
		下				4.3	21.3	1.9	4.9	17,000	7.9	-	-	-	-	-	-	
	21	上	18.7	3.5	7.8	0.5	20.5	1.9	5.3	16,000	8.0	1	0.28	0.070	<0.5	-	<2	<0.005
		中				2.0	20.5	1.9	5.5	16,000	8.0	-	-	-	-	-	-	
		下				5.8	21.0	1.7	4.6	17,000	7.9	-	-	-	-	-	-	
	25	上	18.3	7.0	12.6	0.5	19.9	1.9	5.9	16,000	8.1	1	0.23	0.049	<0.5	3	<2	<0.005
		中				2.0	19.7	1.9	7.2	16,000	8.0	-	-	-	-	-	-	
		下				10.0	20.9	1.9	4.2	17,000	7.9	-	-	-	-	-	-	
	30	上	22.1	4.0	5.1	0.5	22.0	2.0	5.8	16,000	7.9	2	0.44	0.073	<0.5	-	<2	0.018
31	上	20.4	4.0	5.8	0.5	20.4	2.0	6.3	15,000	7.9	2	0.43	0.071	<0.5	-	<2	0.008	
2023/12/1	20	上	12.6	2.6	6.6	0.5	18.0	1.5	5.8	17,000	7.9	1	0.34	0.056	-	-	-	<0.005
		中				2.0	17.9	1.7	5.7	17,000	8.0	-	-	-	-	-	-	
		下				4.6	18.1	1.6	5.3	18,000	8.0	-	-	-	-	-	-	
	21	上	13.0	3.7	8.2	0.5	17.0	1.6	7.7	17,000	8.1	7	0.23	0.037	-	-	-	<0.005
		中				2.0	16.8	1.8	8.5	17,000	8.1	-	-	-	-	-	-	
		下				6.2	17.6	1.6	7.6	17,000	8.0	-	-	-	-	-	-	
	25	上	11.0	4.9	13.9	0.5	15.8	1.9	10	17,000	8.2	6	0.19	0.034	-	-	-	<0.005
		中				2.0	15.6	1.9	9.6	17,000	8.1	-	-	-	-	-	-	
		下				10.0	16.1	1.8	9.5	17,000	8.2	-	-	-	-	-	-	
	30	上	12.7	3.8	4.0	0.5	16.8	1.9	7.7	17,000	8.0	1	0.33	0.053	-	-	-	<0.005
31	上	14.8	2.4	5.0	0.5	19.3	2.5	7.1	17,000	8.0	7	0.46	0.056	-	-	-	<0.005	

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサジ抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロフィルa (μg/L)	全亜鉛 (mg/L)
2024/1/29	20	上	10.7	2.2	6.3	0.5	11.2	2.0	8.5	18,000	8.0	6	0.15	0.030	-	-	-	0.005
		中				2.0	11.4	2.0	8.7	18,000	8.0	-	-	-	-	-	-	
		下				4.3	11.3	2.0	9.1	18,000	8.1	-	-	-	-	-	-	
	21	上	10.3	4.6	7.5	0.5	10.7	2.0	9.3	16,000	8.1	4	0.17	0.028	-	-	-	<0.005
		中				2.0	11.0	2.6	9.6	17,000	8.1	-	-	-	-	-	-	
		下				5.5	11.0	2.5	9.2	17,000	8.1	-	-	-	-	-	-	
	25	上	8.7	5.8	14.0	0.5	9.6	2.2	10	17,000	8.1	2	0.16	0.020	-	-	-	<0.005
		中				2.0	9.6	2.2	9.8	17,000	8.1	-	-	-	-	-	-	
		下				10.0	9.7	2.4	10	17,000	8.1	-	-	-	-	-	-	
	30	上	11.4	4.7	5.4	0.5	10.6	2.4	8.8	17,000	8.0	5	0.25	0.031	-	-	-	0.005
31	上	11.3	2.8	4.8	0.5	12.3	2.9	9.1	17,000	8.0	6	0.35	0.034	-	-	-	0.009	
2024/2/15	20	上	15.4	2.0	6.1	0.5	13.7	2.3	8.2	17,000	7.9	2	0.50	0.051	<0.5	-	2	0.009
		中				2.0	12.6	2.0	8.6	17,000	8.0	-	-	-	-	-	-	
		下				4.1	12.3	1.8	8.2	17,000	8.0	-	-	-	-	-	-	
	21	上	13.9	3.7	7.9	0.5	11.7	1.8	9.8	16,000	8.0	2	0.29	0.032	<0.5	-	4	<0.005
		中				2.0	11.5	1.8	9.4	17,000	8.0	-	-	-	-	-	-	
		下				5.9	11.7	1.6	8.2	20,000	8.0	-	-	-	-	-	-	
	25	上	13.1	5.6	12.9	0.5	11.0	1.9	10	16,000	8.1	2	0.26	0.032	<0.5	0	3	<0.005
		中				2.0	10.6	1.7	10	16,000	8.1	-	-	-	-	-	-	
		下				10.0	10.6	1.6	8.7	18,000	8.0	-	-	-	-	-	-	
	30	上	13.6	4.6	6.0	0.5	11.2	2.0	8.6	15,000	8.0	1	0.61	0.064	<0.5	-	3	0.005
31	上	14.2	2.4	5.2	0.5	14.0	2.4	9.4	17,000	7.9	4	0.59	0.042	<0.5	-	2	0.006	
2024/3/4	20	上	9.0	2.6	6.8	0.5	11.7	1.7	8.9	16,000	8.0	4	0.42	0.084	-	-	-	0.008
		中				2.0	11.5	1.8	8.9	16,000	8.0	-	-	-	-	-	-	
		下				4.8	11.0	1.6	9.2	18,000	8.0	-	-	-	-	-	-	
	21	上	9.3	3.1	8.1	0.5	10.0	1.5	7.4	14,000	8.0	2	0.31	0.030	-	-	-	<0.005
		中				2.0	10.4	1.6	7.5	15,000	8.0	-	-	-	-	-	-	
		下				6.1	10.9	1.3	7.4	17,000	8.0	-	-	-	-	-	-	
	25	上	7.1	4.1	13.5	0.5	9.3	1.5	8.8	15,000	8.0	3	0.29	0.030	-	-	-	<0.005
		中				2.0	9.3	1.2	8.6	15,000	8.0	-	-	-	-	-	-	
		下				10.0	10.6	1.3	6.8	17,000	8.0	-	-	-	-	-	-	
	30	上	9.9	3.4	5.7	0.5	10.0	1.4	8.8	13,000	8.0	2	0.60	0.048	-	-	-	0.006
31	上	10.2	2.5	5.3	0.5	9.8	1.6	7.0	12,000	8.0	2	0.61	0.059	-	-	-	0.005	