

石原地区埋立事業水質監視結果（生活環境項目）

| 採水年月日     | 地点 (St-) | 採水層  | 気温 (°C) | 透明度 (m) | 全水深 (m) | 採水層 (m) | 水温 (°C) | COD (mg/L) | DO (mg/L) | Cl <sup>-</sup> (mg/L) | pH  | SS (mg/L) | T-N (mg/L) | T-P (mg/L) | n-ヘキサン抽出物質 (mg/L) |
|-----------|----------|------|---------|---------|---------|---------|---------|------------|-----------|------------------------|-----|-----------|------------|------------|-------------------|
| 2023/4/12 | 60       | 上    | 18.3    | 1.7     | 9.0     | 0.5     | 15.7    | 2.7        | 11        | 10,000                 | 8.3 | 4         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.8    | 3.0        | 12        | 11,000                 | 8.3 | -         | -          | -          |                   |
|           |          | 下    |         |         |         | 7.0     | 14.0    | 1.6        | 8.3       | 16,000                 | 8.0 | -         | -          | -          | -                 |
|           | 61       | 上    | 18.5    | 1.5     | 10.9    | 0.5     | 16.2    | 3.2        | 12        | 11,000                 | 8.4 | 6         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.6    | 3.0        | 11        | 12,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.9     | 14.1    | 1.5        | 8.7       | 16,000                 | 8.1 | -         | -          | -          | -                 |
|           | 62       | 上    | 19.0    | 1.5     | 10.9    | 0.5     | 16.0    | 2.9        | 13        | 10,000                 | 8.4 | 5         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.5    | 2.8        | 11        | 14,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.9     | 14.1    | 1.8        | 8.6       | 16,000                 | 8.0 | -         | -          | -          | -                 |
|           | 63       | 上    | 17.4    | 1.3     | 11.3    | 0.5     | 15.9    | 3.4        | 12        | 11,000                 | 8.4 | 6         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.7    | 3.6        | 12        | 12,000                 | 8.4 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 9.3     | 15.7    | 1.7        | 8.7       | 16,000                 | 8.1 | -         | -          | -          | -                 |
|           | 64       | 上    | 17.1    | 1.5     | 10.9    | 0.5     | 15.7    | 2.3        | 12        | 8,300                  | 8.2 | 3         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.7    | 3.0        | 12        | 11,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.9     | 14.4    | 1.8        | 8.1       | 16,000                 | 8.1 | -         | -          | -          | -                 |
|           | 65       | 上    | 18.4    | 1.6     | 10.0    | 0.5     | 15.7    | 2.7        | 12        | 11,000                 | 8.3 | 4         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 15.9    | 2.7        | 11        | 11,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.0     | 14.7    | 1.7        | 9.4       | 16,000                 | 8.1 | -         | -          | -          | -                 |
|           | 66       | 上    | 18.4    | 1.7     | 7.9     | 0.5     | 15.7    | 3.0        | 12        | 11,000                 | 8.3 | 5         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.0    | 3.4        | 12        | 12,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 5.9     | 14.7    | 2.2        | 9.4       | 15,000                 | 8.1 | -         | -          | -          | -                 |
| 23        | 上        | 17.7 | 1.4     | 12.5    | 0.5     | 15.3    | 3.5     | 13         | 13,000    | 8.3                    | 3   | -         | -          | <0.5       |                   |
| 2023/5/9  | 60       | 上    | 16.4    | 0.9     | 8.7     | 0.5     | 16.2    | 1.4        | 8.7       | 16,000                 | 8.0 | 6         | 0.40       | 0.045      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.0    | 1.8        | 8.6       | 11,000                 | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.7     | 15.7    | 1.4        | 5.7       | 20,000                 | 7.9 | -         | -          | -          | -                 |
|           | 61       | 上    | 16.6    | 0.8     | 9.5     | 0.5     | 16.3    | 1.6        | 7.5       | 9,300                  | 8.0 | 10        | 0.46       | 0.047      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.1    | 1.7        | 7.5       | 12,000                 | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.5     | 15.7    | 1.4        | 6.1       | 19,000                 | 7.9 | -         | -          | -          | -                 |
|           | 62       | 上    | 16.6    | 0.8     | 10.7    | 0.5     | 16.1    | 1.7        | 8.6       | 11,000                 | 8.0 | 8         | 0.40       | 0.052      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.0    | 1.7        | 8.0       | 9,800                  | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.7     | 15.7    | 1.5        | 6.2       | 19,000                 | 7.9 | -         | -          | -          | -                 |
|           | 63       | 上    | 17.1    | 0.9     | 10.3    | 0.5     | 16.4    | 1.4        | 9.2       | 9,500                  | 8.0 | 7         | 0.37       | 0.049      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.0    | 1.7        | 8.5       | 9,900                  | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.3     | 15.6    | 1.6        | 6.0       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 64       | 上    | 17.0    | 0.9     | 10.4    | 0.5     | 16.5    | 1.6        | 8.5       | 9,000                  | 7.9 | 8         | 0.47       | 0.043      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.1    | 1.8        | 8.1       | 9,400                  | 7.9 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.4     | 15.5    | 1.5        | 6.4       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 65       | 上    | 16.7    | 1.0     | 9.3     | 0.5     | 16.0    | 1.8        | 9.2       | 12,000                 | 8.0 | 5         | 0.34       | 0.055      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.0    | 1.9        | 8.6       | 9,300                  | 7.9 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.3     | 15.7    | 1.5        | 5.5       | 17,000                 | 7.9 | -         | -          | -          | -                 |
|           | 66       | 上    | 16.9    | 0.9     | 7.0     | 0.5     | 15.9    | 1.9        | 9.3       | 6,700                  | 7.9 | 4         | 0.38       | 0.034      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 16.1    | 2.2        | 8.4       | 11,000                 | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 5.0     | 15.8    | 1.6        | 6.4       | 19,000                 | 7.9 | -         | -          | -          | -                 |
| 23        | 上        | 16.1 | 1.0     | 11.4    | 0.5     | 16.7    | 1.9     | 9.2        | 9,600     | 8.0                    | 8   | 0.41      | 0.045      | <0.5       |                   |
| 2023/6/6  | 60       | 上    | 20.7    | 1.8     | 8.3     | 0.5     | 19.4    | 2.0        | 9.3       | 6,100                  | 8.0 | 4         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.7    | 2.2        | 8.3       | 6,900                  | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.3     | 19.0    | 1.6        | 5.6       | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 61       | 上    | 21.0    | 2.4     | 9.7     | 0.5     | 19.7    | 1.9        | 8.1       | 8,100                  | 7.9 | <1        | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.8    | 1.8        | 7.5       | 9,600                  | 7.9 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.7     | 18.9    | 1.7        | 5.6       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 62       | 上    | 20.5    | 2.2     | 9.9     | 0.5     | 19.4    | 2.3        | 9.4       | 7,000                  | 7.9 | 1         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.8    | 2.2        | 9.0       | 7,200                  | 7.9 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.9     | 18.6    | 2.1        | 5.2       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 63       | 上    | 20.7    | 0.8     | 10.7    | 0.5     | 19.4    | 7.4        | 11        | 6,400                  | 8.2 | 11        | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.7    | 3.3        | 9.1       | 7,800                  | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.7     | 18.7    | 1.7        | 5.5       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 64       | 上    | 19.0    | 1.0     | 10.3    | 0.5     | 19.4    | 6.1        | 10        | 6,300                  | 8.2 | 10        | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.6    | 6.7        | 11        | 6,100                  | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.3     | 18.7    | 1.6        | 5.3       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 65       | 上    | 19.8    | 1.0     | 9.5     | 0.5     | 19.3    | 6.3        | 10        | 6,500                  | 8.1 | 9         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.7    | 6.4        | 10        | 7,000                  | 8.1 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.5     | 19.0    | 1.6        | 6.0       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 66       | 上    | 19.6    | 2.0     | 7.0     | 0.5     | 19.4    | 2.7        | 9.1       | 7,300                  | 7.9 | 6         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 19.9    | 2.4        | 9.1       | 7,300                  | 7.9 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 5.0     | 19.5    | 1.3        | 6.4       | 14,000                 | 7.9 | -         | -          | -          | -                 |
| 23        | 上        | 20.7 | 1.2     | 11.4    | 0.5     | 19.9    | 4.8     | 9.9        | 7,500     | 8.0                    | 7   | -         | -          | <0.5       |                   |

石原地区埋立事業水質監視結果（生活環境項目）

| 採水年月日     | 地点 (St-) | 採水層  | 気温 (°C) | 透明度 (m) | 全水深 (m) | 採水層 (m) | 水温 (°C) | COD (mg/L) | DO (mg/L) | Cl <sup>-</sup> (mg/L) | pH  | SS (mg/L) | T-N (mg/L) | T-P (mg/L) | n-ヘキサン抽出物質 (mg/L) |
|-----------|----------|------|---------|---------|---------|---------|---------|------------|-----------|------------------------|-----|-----------|------------|------------|-------------------|
| 2023/7/4  | 60       | 上    | 28.3    | 0.8     | 8.0     | 0.5     | 25.6    | 3.3        | 12        | 3,800                  | 8.5 | 10        | 0.54       | 0.057      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 25.1    | 3.6        | 12        | 4,100                  | 8.5 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.0     | 21.8    | 1.7        | 4.3       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 61       | 上    | 29.0    | 1.0     | 8.7     | 0.5     | 25.4    | 3.4        | 13        | 3,800                  | 8.6 | 10        | 0.40       | 0.11       | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 24.8    | 3.7        | 12        | 4,300                  | 8.6 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.7     | 21.7    | 1.8        | 4.3       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 62       | 上    | 28.5    | 0.8     | 9.0     | 0.5     | 25.0    | 3.6        | 12        | 3,900                  | 8.5 | 11        | 0.47       | 0.062      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 24.7    | 3.9        | 12        | 4,200                  | 8.5 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.0     | 21.4    | 1.6        | 3.9       | 16,000                 | 7.9 | -         | -          | -          | -                 |
|           | 63       | 上    | 27.0    | 0.8     | 10.1    | 0.5     | 25.0    | 3.4        | 11        | 3,800                  | 8.5 | 9         | 0.53       | 0.066      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 25.0    | 3.7        | 12        | 4,800                  | 8.4 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.1     | 21.0    | 1.5        | 3.3       | 17,000                 | 7.9 | -         | -          | -          | -                 |
|           | 64       | 上    | 27.7    | 1.0     | 9.9     | 0.5     | 25.0    | 3.5        | 12        | 3,600                  | 8.5 | 9         | 0.46       | 0.052      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 24.6    | 3.6        | 11        | 4,500                  | 8.5 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.9     | 20.5    | 1.7        | 3.1       | 18,000                 | 7.8 | -         | -          | -          | -                 |
|           | 65       | 上    | 27.6    | 1.0     | 8.9     | 0.5     | 25.0    | 3.5        | 11        | 4,400                  | 8.4 | 9         | 0.49       | 0.050      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 25.0    | 2.8        | 8.1       | 10,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.9     | 21.1    | 1.7        | 3.1       | 17,000                 | 7.9 | -         | -          | -          | -                 |
|           | 66       | 上    | 28.3    | 1.0     | 6.6     | 0.5     | 25.9    | 3.8        | 12        | 4,500                  | 8.5 | 7         | 0.55       | 0.051      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 25.9    | 2.7        | 7.1       | 11,000                 | 8.1 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 4.6     | 22.6    | 2.0        | 4.5       | 15,000                 | 7.9 | -         | -          | -          | -                 |
| 23        | 上        | 27.0 | 1.0     | 11.2    | 0.5     | 25.1    | 3.3     | 12         | 3,900     | 8.5                    | 11  | 0.54      | 0.052      | <0.5       |                   |
| 2023/8/1  | 60       | 上    | 31.4    | 2.4     | 6.9     | 0.5     | 29.5    | 2.3        | 8.6       | 11,000                 | 8.2 | 2         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.0    | 2.2        | 8.4       | 11,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 4.9     | 27.9    | 1.9        | 6.8       | 12,000                 | 8.0 | -         | -          | -          | -                 |
|           | 61       | 上    | 32.0    | 2.2     | 8.8     | 0.5     | 29.7    | 2.0        | 8.8       | 11,000                 | 8.2 | 3         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.1    | 2.1        | 8.8       | 11,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.8     | 26.4    | 1.6        | 5.6       | 14,000                 | 8.0 | -         | -          | -          | -                 |
|           | 62       | 上    | 31.2    | 1.9     | 8.8     | 0.5     | 29.4    | 2.4        | 16        | 12,000                 | 8.2 | 3         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.0    | 2.3        | 9.3       | 12,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.8     | 25.5    | 1.3        | 14        | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 63       | 上    | 30.3    | 2.0     | 9.6     | 0.5     | 29.5    | 2.3        | 8.4       | 11,000                 | 8.2 | 2         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.1    | 2.3        | 8.7       | 11,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.6     | 25.0    | 1.7        | 5.2       | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 64       | 上    | 30.1    | 2.3     | 9.0     | 0.5     | 29.1    | 1.8        | 8.2       | 12,000                 | 8.2 | 3         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.0    | 1.9        | 8.1       | 12,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.0     | 24.7    | 1.8        | 4.3       | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 65       | 上    | 30.3    | 2.5     | 8.8     | 0.5     | 29.3    | 2.0        | 10        | 12,000                 | 8.2 | 4         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.0    | 2.0        | 8.1       | 12,000                 | 8.1 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.8     | 25.6    | 1.8        | 8.1       | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 66       | 上    | 31.0    | 3.6     | 5.7     | 0.5     | 30.0    | 1.8        | 7.3       | 11,000                 | 8.0 | 2         | -          | -          | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 29.4    | 2.7        | 7.8       | 11,000                 | 8.1 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 3.7     | 29.0    | 1.9        | 9.5       | 12,000                 | 8.1 | -         | -          | -          | -                 |
| 23        | 上        | 30.0 | 2.8     | 11.1    | 0.5     | 29.6    | 2.1     | 8.2        | 11,000    | 8.1                    | 1   | -         | -          | <0.5       |                   |
| 2023/9/15 | 60       | 上    | 29.8    | 1.8     | 8.2     | 0.5     | 28.7    | 2.5        | 10        | 10,000                 | 8.3 | 3         | 0.51       | 0.051      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.9    | 2.8        | 10        | 10,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.2     | 28.0    | 2.0        | 1.8       | 16,000                 | 7.8 | -         | -          | -          | -                 |
|           | 61       | 上    | 29.9    | 2.4     | 9.0     | 0.5     | 28.4    | 2.5        | 9.6       | 9,800                  | 8.3 | 3         | 0.47       | 0.052      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.8    | 2.6        | 10        | 10,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 7.0     | 28.0    | 2.1        | 2.1       | 17,000                 | 7.8 | -         | -          | -          | -                 |
|           | 62       | 上    | 29.7    | 2.0     | 11.8    | 0.5     | 28.6    | 2.6        | 9.6       | 10,000                 | 8.3 | 3         | 0.38       | 0.051      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.9    | 2.8        | 9.8       | 10,000                 | 8.3 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 9.8     | 27.4    | 1.8        | 1.9       | 17,000                 | 7.8 | -         | -          | -          | -                 |
|           | 63       | 上    | 29.3    | 2.0     | 10.1    | 0.5     | 28.6    | 2.7        | 10        | 10,000                 | 8.3 | 3         | 0.39       | 0.050      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.6    | 2.1        | 6.0       | 12,000                 | 8.0 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.1     | 27.3    | 2.0        | 2.7       | 17,000                 | 7.8 | -         | -          | -          | -                 |
|           | 64       | 上    | 29.3    | 1.9     | 10.0    | 0.5     | 28.9    | 3.2        | 10        | 10,000                 | 8.3 | 12        | 0.45       | 0.061      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.5    | 2.3        | 8.5       | 11,000                 | 8.1 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 8.0     | 27.4    | 2.0        | 2.4       | 17,000                 | 7.8 | -         | -          | -          | -                 |
|           | 65       | 上    | 31.3    | 2.3     | 8.8     | 0.5     | 28.0    | 2.4        | 8.8       | 9,000                  | 8.1 | 4         | 0.76       | 0.054      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.6    | 2.3        | 9.1       | 10,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 6.8     | 28.4    | 1.8        | 3.0       | 15,000                 | 7.9 | -         | -          | -          | -                 |
|           | 66       | 上    | 31.3    | 2.5     | 6.3     | 0.5     | 28.1    | 2.1        | 8.7       | 9,500                  | 8.1 | 2         | 0.68       | 0.051      | <0.5              |
|           |          | 中    |         |         |         | 2.0     | 28.5    | 2.5        | 8.4       | 10,000                 | 8.2 | -         | -          | -          | -                 |
|           |          | 下    |         |         |         | 4.3     | 28.5    | 2.0        | 6.7       | 13,000                 | 8.0 | -         | -          | -          | -                 |
| 23        | 上        | 28.7 | 2.6     | 11.3    | 0.5     | 28.6    | 2.3     | 8.9        | 10,000    | 8.2                    | 4   | 0.50      | 0.055      | <0.5       |                   |

石原地区埋立事業水質監視結果（生活環境項目）

| 採水年月日     | 地点 (St-)   | 採水層 | 気温 (°C) | 透明度 (m) | 全水深 (m) | 採水層 (m) | 水温 (°C) | COD (mg/L) | DO (mg/L) | Cl <sup>-</sup> (mg/L) | pH     | SS (mg/L) | T-N (mg/L) | T-P (mg/L) | n-ヘキサン抽出物質 (mg/L) |      |
|-----------|------------|-----|---------|---------|---------|---------|---------|------------|-----------|------------------------|--------|-----------|------------|------------|-------------------|------|
| 2023/10/3 | 60         | 上   | 24.8    | 4.8     | 8.4     | 0.5     | 25.1    | 1.9        | 6.8       | 17,000                 | 8.0    | 4         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.2    | 1.9        | 5.2       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 6.4     | 25.5    | 1.7        | 4.6       | 18,000                 | 7.8    | -         | -          | -          |                   |      |
|           | 61         | 上   | 24.7    | 4.0     | 10.7    | 0.5     | 25.4    | 1.8        | 6.4       | 17,000                 | 8.0    | 10        | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.7    | 1.7        | 5.2       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.7     | 26.0    | 1.6        | 1.8       | 18,000                 | 7.7    | -         | -          | -          |                   |      |
|           | 62         | 上   | 24.7    | 4.9     | 10.6    | 0.5     | 24.9    | 1.8        | 6.8       | 16,000                 | 8.0    | 5         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.4    | 1.9        | 6.1       | 17,000                 | 8.0    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.6     | 25.6    | 1.3        | 2.7       | 18,000                 | 7.8    | -         | -          | -          |                   |      |
|           | 63         | 上   | 24.8    | 3.0     | 11.2    | 0.5     | 25.8    | 1.7        | 7.1       | 17,000                 | 8.0    | 3         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.4    | 1.9        | 7.8       | 16,000                 | 8.0    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 9.2     | 25.5    | 1.5        | 1.6       | 18,000                 | 7.8    | -         | -          | -          |                   |      |
|           | 64         | 上   | 24.5    | 4.6     | 10.6    | 0.5     | 25.2    | 1.8        | 6.2       | 17,000                 | 7.9    | 3         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.4    | 1.7        | 5.9       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.6     | 25.3    | 1.6        | 2.0       | 19,000                 | 7.8    | -         | -          | -          |                   |      |
|           | 65         | 上   | 24.1    | 7.5     | 9.8     | 0.5     | 25.1    | 2.0        | 7.0       | 17,000                 | 8.1    | 4         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.4    | 1.8        | 6.7       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 7.8     | 25.4    | 1.9        | 4.5       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           | 66         | 上   | 24.3    | 6.7     | 7.6     | 0.5     | 25.5    | 1.9        | 7.1       | 16,000                 | 8.1    | 2         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 25.4    | 1.9        | 7.1       | 16,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 5.6     | 25.5    | 1.9        | 7.3       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           | 23         | 上   | 21.7    | 5.2     | 12.5    | 0.5     | 25.3    | 2.0        | 7.0       | 17,000                 | 8.1    | 3         | -          | -          | <0.5              |      |
|           | 2023/11/14 | 60  | 上       | 14.1    | 4.6     | 9.0     | 0.5     | 20.0       | 1.6       | 5.4                    | 17,000 | 7.9       | 1          | 0.73       | 0.087             | <0.5 |
|           |            |     | 中       |         |         |         | 2.0     | 20.0       | 1.5       | 4.8                    | 17,000 | 7.9       | -          | -          | -                 |      |
| 下         |            |     | 7.0     |         |         |         | 21.0    | 1.4        | 3.2       | 18,000                 | 7.9    | -         | -          | -          |                   |      |
| 61        |            | 上   | 14.9    | 3.9     | 13.0    | 0.5     | 20.4    | 1.8        | 5.0       | 17,000                 | 7.9    | 2         | 0.71       | 0.077      | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 20.4    | 1.6        | 4.6       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 10.0    | 20.6    | 1.6        | 4.5       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
| 62        |            | 上   | 13.5    | 3.8     | 11.2    | 0.5     | 20.2    | 1.8        | 4.8       | 16,000                 | 7.9    | 1         | 0.66       | 0.076      | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 20.6    | 1.7        | 4.3       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 9.2     | 21.4    | 1.8        | 2.8       | 17,000                 | 7.8    | -         | -          | -          |                   |      |
| 63        |            | 上   | 15.1    | 5.1     | 11.6    | 0.5     | 20.0    | 2.0        | 4.6       | 16,000                 | 7.9    | 2         | 0.77       | 0.071      | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 20.7    | 1.7        | 4.2       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 9.6     | 21.0    | 1.7        | 3.7       | 17,000                 | 7.9    | -         | -          | -          |                   |      |
| 64        |            | 上   | 14.7    | 3.9     | 11.2    | 0.5     | 20.2    | 1.9        | 4.9       | 16,000                 | 7.9    | 1         | 0.59       | 0.072      | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 20.5    | 1.8        | 4.7       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 9.2     | 21.5    | 1.7        | 2.5       | 17,000                 | 7.8    | -         | -          | -          |                   |      |
| 65        |            | 上   | 13.0    | 5.8     | 10.0    | 0.5     | 19.6    | 1.6        | 5.8       | 16,000                 | 7.9    | 4         | 0.50       | 0.064      | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 19.7    | 1.9        | 5.6       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.0     | 20.6    | 1.5        | 3.9       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
| 66        |            | 上   | 14.1    | 5.1     | 8.0     | 0.5     | 19.5    | 1.6        | 5.6       | 16,000                 | 7.9    | 1         | 0.52       | 0.14       | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 20.0    | 1.7        | 5.3       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 6.0     | 20.7    | 1.5        | 3.8       | 16,000                 | 7.9    | -         | -          | -          |                   |      |
| 23        |            | 上   | 13.6    | 5.9     | 12.0    | 0.5     | 20.3    | 1.7        | 5.1       | 16,000                 | 7.9    | 2         | 0.49       | 0.079      | <0.5              |      |
| 2023/12/1 |            | 60  | 上       | 12.4    | 3.9     | 8.8     | 0.5     | 16.7       | 2.0       | 8.6                    | 17,000 | 8.1       | 5          | -          | -                 | <0.5 |
|           |            |     | 中       |         |         |         | 2.0     | 16.5       | 2.0       | 8.7                    | 18,000 | 8.1       | -          | -          | -                 |      |
|           | 下          |     | 6.8     |         |         |         | 18.0    | 1.7        | 6.8       | 18,000                 | 8.0    | -         | -          | -          |                   |      |
|           | 61         | 上   | 12.5    | 3.9     | 10.8    | 0.5     | 16.6    | 1.9        | 8.9       | 17,000                 | 8.1    | 1         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.6    | 1.7        | 8.3       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.8     | 17.2    | 1.9        | 7.2       | 18,000                 | 8.0    | -         | -          | -          |                   |      |
|           | 62         | 上   | 11.9    | 4.0     | 10.6    | 0.5     | 16.7    | 2.1        | 8.3       | 17,000                 | 8.1    | 2         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.5    | 2.1        | 9.0       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.6     | 17.9    | 1.9        | 6.7       | 18,000                 | 8.0    | -         | -          | -          |                   |      |
|           | 63         | 上   | 12.0    | 4.6     | 11.3    | 0.5     | 16.4    | 1.9        | 9.1       | 17,000                 | 8.1    | 3         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.6    | 2.0        | 9.2       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 9.3     | 17.7    | 1.8        | 7.5       | 18,000                 | 8.0    | -         | -          | -          |                   |      |
|           | 64         | 上   | 12.0    | 4.8     | 10.7    | 0.5     | 16.6    | 2.0        | 8.5       | 17,000                 | 8.1    | 3         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.4    | 1.9        | 8.8       | 17,000                 | 8.0    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 8.7     | 17.6    | 1.8        | 7.0       | 18,000                 | 8.0    | -         | -          | -          |                   |      |
|           | 65         | 上   | 12.6    | 4.7     | 9.8     | 0.5     | 16.1    | 1.9        | 8.7       | 17,000                 | 8.1    | 2         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.0    | 1.8        | 9.1       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 7.8     | 16.7    | 2.0        | 8.3       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           | 66         | 上   | 12.0    | 3.8     | 7.7     | 0.5     | 16.3    | 1.9        | 9.1       | 17,000                 | 8.1    | 3         | -          | -          | <0.5              |      |
|           |            | 中   |         |         |         | 2.0     | 16.0    | 2.1        | 9.0       | 17,000                 | 8.1    | -         | -          | -          |                   |      |
|           |            | 下   |         |         |         | 5.7     | 16.5    | 1.9        | 8.9       | 18,000                 | 8.1    | -         | -          | -          |                   |      |
|           | 23         | 上   | 12.0    | 4.6     | 12.0    | 0.5     | 16.1    | 1.9        | 10        | 17,000                 | 8.1    | 1         | -          | -          | <0.5              |      |

石原地区埋立事業水質監視結果（生活環境項目）

| 採水年月日     | 地点 (St-)  | 採水層 | 気温 (°C) | 透明度 (m) | 全水深 (m) | 採水層 (m) | 水温 (°C) | COD (mg/L) | DO (mg/L) | Cl <sup>-</sup> (mg/L) | pH     | SS (mg/L) | T-N (mg/L) | T-P (mg/L) | n-ヘキサン抽出物質 (mg/L) |      |
|-----------|-----------|-----|---------|---------|---------|---------|---------|------------|-----------|------------------------|--------|-----------|------------|------------|-------------------|------|
| 2024/1/29 | 60        | 上   | 10.7    | 3.7     | 8.8     | 0.5     | 9.9     | 2.2        | 10        | 17,000                 | 8.1    | 4         | 0.42       | 0.031      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 2.0        | 9.9       | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 6.8     | 11.0    | 2.0        | 8.0       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 61        | 上   | 11.3    | 4.1     | 10.2    | 0.5     | 9.4     | 1.9        | 10        | 17,000                 | 8.1    | 4         | 0.19       | 0.024      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.6     | 2.4        | 10        | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.2     | 10.3    | 2.5        | 9.4       | 18,000                 | 8.1    | -         | -          | -          | -                 |      |
|           | 62        | 上   | 12.4    | 4.1     | 10.4    | 0.5     | 10.3    | 2.7        | 10        | 17,000                 | 8.0    | 3         | 0.58       | 0.035      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 2.4        | 10        | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.4     | 11.7    | 2.3        | 8.0       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 63        | 上   | 10.0    | 4.0     | 11.5    | 0.5     | 9.7     | 2.3        | 9.9       | 17,000                 | 8.0    | 6         | 0.64       | 0.038      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 2.9        | 10        | 18,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 9.5     | 11.0    | 2.3        | 8.4       | 19,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 64        | 上   | 10.1    | 4.8     | 10.8    | 0.5     | 9.4     | 2.4        | 10        | 18,000                 | 8.1    | 4         | 0.35       | 0.033      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.7     | 2.4        | 10        | 18,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.8     | 10.5    | 2.2        | 9.0       | 18,000                 | 8.1    | -         | -          | -          | -                 |      |
|           | 65        | 上   | 9.1     | 4.7     | 10.3    | 0.5     | 9.4     | 2.0        | 10        | 17,000                 | 8.1    | 6         | 0.31       | 0.032      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.6     | 1.8        | 10        | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.3     | 10.0    | 2.0        | 9.9       | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           | 66        | 上   | 9.0     | 5.9     | 7.8     | 0.5     | 9.5     | 2.0        | 10        | 17,000                 | 8.0    | 3         | 0.15       | 0.024      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.7     | 2.2        | 10        | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 5.8     | 9.6     | 1.9        | 10        | 17,000                 | 8.1    | -         | -          | -          | -                 |      |
|           | 23        | 上   | 9.4     | 4.5     | 11.8    | 0.5     | 9.7     | 2.0        | 10        | 17,000                 | 8.1    | 4         | 0.20       | 0.027      | <0.5              |      |
|           | 2024/2/13 | 60  | 上       | 8.0     | 4.2     | 8.6     | 0.5     | 9.6        | 1.7       | 9.3                    | 17,000 | 8.0       | 3          | -          | -                 | <0.5 |
|           |           |     | 中       |         |         |         | 2.0     | 9.6        | 1.6       | 8.5                    | 17,000 | 8.0       | -          | -          | -                 | -    |
| 下         |           |     | 6.6     |         |         |         | 10.0    | 1.8        | 8.4       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
| 61        |           | 上   | 9.3     | 4.2     | 10.8    | 0.5     | 9.9     | 1.8        | 8.1       | 16,000                 | 8.0    | 5         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.6     | 1.7        | 8.7       | 16,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.8     | 10.6    | 1.7        | 7.4       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
| 62        |           | 上   | 8.5     | 4.6     | 10.8    | 0.5     | 10.4    | 1.8        | 9.0       | 16,000                 | 8.0    | 4         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.5     | 1.7        | 9.0       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.8     | 10.7    | 1.7        | 7.6       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
| 63        |           | 上   | 7.6     | 4.8     | 12.0    | 0.5     | 9.6     | 1.6        | 9.2       | 17,000                 | 8.0    | 4         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.5     | 1.8        | 8.5       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 10.0    | 10.8    | 1.7        | 6.9       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
| 64        |           | 上   | 7.4     | 4.7     | 11.3    | 0.5     | 9.4     | 1.6        | 7.8       | 16,000                 | 8.0    | 3         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.3     | 1.7        | 8.2       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 9.3     | 10.7    | 1.7        | 7.7       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
| 65        |           | 上   | 6.4     | 5.0     | 10.0    | 0.5     | 9.5     | 1.7        | 8.3       | 16,000                 | 8.0    | 7         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.1     | 1.9        | 8.0       | 16,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.0     | 9.6     | 1.7        | 7.4       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
| 66        |           | 上   | 7.9     | 4.4     | 8.0     | 0.5     | 9.4     | 1.7        | 8.2       | 17,000                 | 8.0    | 5         | -          | -          | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.0     | 1.8        | 9.5       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 6.0     | 9.2     | 1.9        | 9.8       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
| 23        |           | 上   | 9.0     | 3.8     | 12.1    | 0.5     | 9.9     | 1.7        | 9.6       | 17,000                 | 8.0    | 8         | -          | -          | <0.5              |      |
| 2024/3/4  |           | 60  | 上       | 8.0     | 2.8     | 10.0    | 0.5     | 9.0        | 0.8       | 9.5                    | 12,000 | 8.0       | 2          | 0.37       | 0.038             | <0.5 |
|           |           |     | 中       |         |         |         | 2.0     | 9.0        | 1.1       | 10                     | 12,000 | 8.0       | -          | -          | -                 | -    |
|           | 下         |     | 8.0     |         |         |         | 10.3    | 1.3        | 9.5       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 61        | 上   | 7.7     | 3.1     | 10.0    | 0.5     | 9.3     | 1.1        | 8.9       | 13,000                 | 8.0    | 2         | 0.38       | 0.035      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.8     | 1.1        | 8.5       | 15,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.0     | 10.5    | 1.4        | 6.8       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 62        | 上   | 7.1     | 3.2     | 11.0    | 0.5     | 9.1     | 0.8        | 8.2       | 13,000                 | 8.0    | 1         | 0.35       | 0.039      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 9.1     | 1.0        | 8.2       | 13,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 9.0     | 10.2    | 1.4        | 5.5       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 63        | 上   | 7.6     | 2.8     | 11.3    | 0.5     | 9.0     | 1.1        | 9.4       | 13,000                 | 8.0    | 4         | 0.35       | 0.032      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 1.5        | 7.3       | 16,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 9.3     | 10.6    | 1.4        | 7.6       | 18,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 64        | 上   | 7.4     | 2.9     | 10.8    | 0.5     | 9.2     | 1.5        | 9.1       | 13,000                 | 8.0    | 5         | 0.36       | 0.032      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 1.4        | 8.2       | 15,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 8.8     | 10.0    | 1.7        | 7.6       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 65        | 上   | 7.3     | 3.3     | 9.9     | 0.5     | 10.0    | 0.9        | 8.0       | 15,000                 | 8.0    | 2         | 0.29       | 0.026      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 1.3        | 8.4       | 15,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 7.9     | 10.6    | 1.5        | 9.1       | 17,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 66        | 上   | 8.6     | 3.3     | 7.7     | 0.5     | 10.1    | 1.0        | 10        | 14,000                 | 8.0    | 5         | 0.28       | 0.035      | <0.5              |      |
|           |           | 中   |         |         |         | 2.0     | 10.0    | 1.3        | 10        | 15,000                 | 8.0    | -         | -          | -          | -                 |      |
|           |           | 下   |         |         |         | 5.7     | 10.4    | 1.4        | 10        | 16,000                 | 8.0    | -         | -          | -          | -                 |      |
|           | 23        | 上   | 8.0     | 3.4     | 12.3    | 0.5     | 9.2     | 0.9        | 10        | 13,000                 | 8.0    | 4         | 0.33       | 0.030      | <0.5              |      |