

定期水質調査結果（生活環境項目等）

採水 年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2024/4/12	20	上	19.1	1.6	6.4	0.5	17.1	1.7	9.6	8,600	7.8	5	0.63	0.070	-	-	-	0.007
		中				2.0	17.3	1.5	9.6	14,000	7.9	-	-	-	-	-	-	-
		下				4.4	15.3	1.3	9.9	14,000	7.9	-	-	-	-	-	-	-
	21	上	17.1	1.4	8.1	0.5	15.3	1.7	9.9	10,000	7.9	6	0.46	0.076	-	-	-	<0.005
		中				2.0	15.8	1.3	10	14,000	7.9	-	-	-	-	-	-	-
		下				6.1	13.7	1.3	10	17,000	8.0	-	-	-	-	-	-	-
	25	上	17.3	1.4	12.9	0.5	15.1	2.0	10	8,800	8.0	5	0.47	0.062	-	-	-	<0.005
		中				2.0	15.1	1.8	10	9,800	8.0	-	-	-	-	-	-	-
		下				10.0	13.1	1.6	9.2	17,000	7.9	-	-	-	-	-	-	-
	30	上	19.0	1.6	5.6	0.5	15.9	1.8	9.5	8,900	7.8	8	0.66	0.075	-	-	-	0.006
	31	上	20.3	1.3	5.3	0.5	16.9	1.9	9.8	8,900	7.9	6	0.61	0.069	-	-	-	0.008
2024/5/9	20	上	14.9	2.2	5.0	0.5	16.7	1.5	8.4	17,000	7.9	4	0.33	0.039	<0.5	-	2	<0.005
		中				2.0	16.9	1.6	7.7	18,000	7.9	-	-	-	-	-	-	-
		下				3.0	16.3	1.4	7.1	18,000	7.9	-	-	-	-	-	-	-
	21	上	17.6	2.5	7.3	0.5	16.5	1.6	7.4	17,000	8.0	1	0.34	0.037	<0.5	-	10	<0.005
		中				2.0	16.9	1.4	8.8	18,000	7.9	-	-	-	-	-	-	-
		下				5.3	16.2	1.6	8.2	18,000	7.9	-	-	-	-	-	-	-
	25	上	15.9	3.1	12.4	0.5	17.3	1.8	9.1	16,000	8.1	4	0.23	0.022	<0.5	0	7	<0.005
		中				2.0	17.1	1.3	9.7	16,000	8.1	-	-	-	-	-	-	-
		下				10.0	16.1	1.1	7.3	17,000	7.9	-	-	-	-	-	-	-
	30	上	20.7	2.9	3.0	0.5	16.6	1.5	7.9	17,000	7.9	6	0.31	0.032	<0.5	-	4	<0.005
	31	上	17.2	1.9	3.1	0.5	16.6	1.6	8.8	17,000	7.9	4	0.67	0.031	<0.5	-	6	0.006
2024/6/4	20	上	24.4	1.8	5.8	0.5	21.3	2.9	6.7	15,000	7.9	4	0.39	0.059	-	-	-	<0.005
		中				2.0	21.0	2.3	6.7	15,000	7.9	-	-	-	-	-	-	-
		下				3.8	19.8	1.5	6.4	17,000	7.9	-	-	-	-	-	-	-
	21	上	23.7	2.0	6.8	0.5	20.4	1.9	9.5	13,000	8.1	6	0.42	0.054	-	-	-	<0.005
		中				2.0	20.7	3.3	8.9	14,000	8.0	-	-	-	-	-	-	-
		下				4.8	20.2	2.1	8.2	16,000	8.0	-	-	-	-	-	-	-
	25	上	21.4	3.0	12.0	0.5	21.0	1.9	9.4	12,000	8.1	3	0.29	0.055	-	-	-	<0.005
		中				2.0	22.8	2.2	8.7	13,000	8.1	-	-	-	-	-	-	-
		下				10.0	19.8	1.4	6.2	18,000	7.9	-	-	-	-	-	-	-
	30	上	24.4	3.0	4.5	0.5	20.4	2.0	7.6	15,000	7.9	4	0.38	0.053	-	-	-	<0.005
	31	上	25.0	2.2	5.1	0.5	20.8	2.2	8.6	11,000	8.0	3	0.40	0.043	-	-	-	<0.005

定期水質調査結果（生活環境項目等）

採水 年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサ 抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロフィルa (μg/L)	全亜鉛 (mg/L)
2024/7/2	20	上	26.0	1.1	7.0	0.5	24.8	3.7	11	3,400	8.3	7	0.77	0.086	-	-	-	0.005
		中				2.0	24.7	3.0	8.3	7,300	7.9	-	-	-	-	-	-	-
		下				5.0	23.4	2.1	6.5	16,000	7.9	-	-	-	-	-	-	-
	21	上	25.1	1.0	8.2	0.5	24.0	3.7	13	3,300	8.5	8	0.62	0.072	-	-	-	0.007
		中				2.0	24.0	3.4	11	4,300	8.3	-	-	-	-	-	-	-
		下				6.2	22.4	1.7	6.9	18,000	7.9	-	-	-	-	-	-	-
	25	上	22.4	0.6	12.8	0.5	22.4	2.9	9.6	1,800	7.8	5	0.67	0.11	-	-	-	0.005
		中				2.0	22.7	2.9	8.9	3,200	7.9	-	-	-	-	-	-	-
		下				10.0	22.4	1.7	7.4	18,000	8.0	-	-	-	-	-	-	-
	30	上	25.0	0.7	5.2	0.5	23.5	3.0	9.3	3,900	7.8	5	0.84	0.097	-	-	-	0.008
	31	上	25.4	0.7	5.1	0.5	24.5	3.8	9.7	2,000	7.9	5	0.87	0.13	-	-	-	0.010
2024/8/8	20	上	31.4	1.7	7.1	0.5	28.2	1.8	5.1	18,000	7.8	8	0.47	0.10	<0.5	-	5	0.007
		中				2.0	27.2	1.7	5.1	17,000	7.8	-	-	-	-	-	-	-
		下				5.1	26.1	1.5	3.3	17,000	7.8	-	-	-	-	-	-	-
	21	上	30.1	2.4	8.1	0.5	28.4	1.7	8.3	17,000	8.0	4	0.19	0.062	<0.5	-	7	0.006
		中				2.0	27.3	1.7	7.3	18,000	8.0	-	-	-	-	-	-	-
		下				6.1	26.2	1.8	4.9	18,000	7.9	-	-	-	-	-	-	-
	25	上	30.0	1.9	12.6	0.5	29.5	2.1	11	16,000	8.2	5	0.22	0.053	<0.5	2	6	<0.005
		中				2.0	29.2	1.8	9.3	16,000	8.1	-	-	-	-	-	-	-
		下				10.0	24.3	1.4	2.6	18,000	7.6	-	-	-	-	-	-	-
	30	上	32.0	1.9	5.6	0.5	30.0	2.2	10	15,000	8.0	6	0.31	0.055	<0.5	-	14	0.006
	31	上	32.0	1.7	5.1	0.5	29.6	2.1	5.4	17,000	7.9	6	0.35	0.088	<0.5	-	5	0.006
2024/9/4	20	上	29.7	2.7	5.8	0.5	29.9	1.8	6.6	10,000	7.8	1	0.71	0.088	-	-	-	0.005
		中				2.0	29.8	2.0	6.2	11,000	7.8	-	-	-	-	-	-	-
		下				3.8	29.1	1.5	6.0	14,000	7.9	-	-	-	-	-	-	-
	21	上	30.4	1.9	7.3	0.5	28.4	1.7	8.7	8,500	7.9	4	0.65	0.066	-	-	-	<0.005
		中				2.0	29.0	1.8	8.3	9,500	7.9	-	-	-	-	-	-	-
		下				5.3	28.6	1.4	6.4	15,000	7.9	-	-	-	-	-	-	-
	25	上	27.9	1.9	12.5	0.5	27.8	2.2	9.9	8,600	8.0	3	0.60	0.064	-	-	-	<0.005
		中				2.0	28.1	2.1	9.6	8,200	8.0	-	-	-	-	-	-	-
		下				10.0	28.3	2.0	7.1	15,000	7.9	-	-	-	-	-	-	-
	30	上	30.4	3.2	4.8	0.5	28.2	2.2	6.5	9,600	7.8	1	0.79	0.10	-	-	-	0.006
	31	上	31.3	2.3	4.4	0.5	29.9	2.4	7.9	7,900	7.8	2	0.88	0.090	-	-	-	0.006

定期水質調査結果（生活環境項目等）

採水 年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロフィルa (μg/L)	全亜鉛 (mg/L)
2024/10/2	20	上	27.5	2.3	6.0	0.5	27.2	2.0	7.1	13,000	7.9	3	0.57	0.11	—	—	—	<0.005
		中				2.0	28.9	1.9	4.8	14,000	7.8	—	—	—	—	—	—	—
		下				4.0	27.8	2.1	2.4	16,000	7.7	—	—	—	—	—	—	—
	21	上	26.2	2.4	7.7	0.5	27.4	2.4	6.7	15,000	7.9	<1	0.55	0.10	—	—	—	<0.005
		中				2.0	27.0	2.1	4.4	16,000	7.8	—	—	—	—	—	—	—
		下				5.7	26.7	1.5	2.7	17,000	7.8	—	—	—	—	—	—	—
	25	上	25.6	1.5	12.9	0.5	25.5	3.4	12	13,000	8.2	5	0.79	0.10	—	—	—	<0.005
		中				2.0	26.2	2.9	12	14,000	8.2	—	—	—	—	—	—	—
		下				10.0	25.4	1.6	2.0	18,000	7.8	—	—	—	—	—	—	—
	30	上	29.9	2.7	4.8	0.5	27.2	2.1	5.2	14,000	7.9	3	0.65	0.11	—	—	—	<0.005
	31	上	29.7	2.7	4.6	0.5	29.0	1.7	4.0	15,000	7.9	3	0.58	0.10	—	—	—	<0.005
2024/11/8	20	上	15.6	2.4	7.1	0.5	22.7	1.4	4.9	17,000	7.9	7	0.25	0.068	<0.5	—	<2	0.005
		中				2.0	22.3	1.4	6.4	17,000	7.9	—	—	—	—	—	—	—
		下				5.1	22.8	1.4	6.0	17,000	7.9	—	—	—	—	—	—	—
	21	上	11.8	2.8	8.1	0.5	20.8	1.5	6.7	17,000	7.9	3	0.25	0.052	<0.5	—	<2	0.008
		中				2.0	18.9	1.5	7.9	17,000	7.9	—	—	—	—	—	—	—
		下				6.1	20.8	1.5	7.7	18,000	7.9	—	—	—	—	—	—	—
	25	上	13.2	3.5	13.5	0.5	19.5	1.5	7.8	15,000	8.0	6	0.24	0.051	<0.5	18	<2	0.005
		中				2.0	19.0	1.5	8.2	16,000	8.0	—	—	—	—	—	—	—
		下				10.0	20.9	1.6	7.4	17,000	7.9	—	—	—	—	—	—	—
	30	上	13.3	2.3	6.0	0.5	21.4	1.8	5.2	18,000	7.8	7	0.36	0.080	<0.5	—	<2	0.010
	31	上	14.3	2.0	4.6	0.5	23.1	1.6	6.2	17,000	7.8	2	0.28	0.063	<0.5	—	<2	0.007
2024/12/3	20	上	15.0	3.7	6.5	0.5	20.5	1.8	8.3	15,000	7.9	3	0.44	0.051	—	—	—	0.013
		中				2.0	20.3	1.8	8.3	16,000	7.9	—	—	—	—	—	—	—
		下				4.5	19.6	1.7	8.5	16,000	7.9	—	—	—	—	—	—	—
	21	上	12.5	4.4	8.7	0.5	15.9	1.9	10	15,000	8.0	5	0.49	0.053	—	—	—	0.005
		中				2.0	17.4	1.9	9.8	15,000	8.0	—	—	—	—	—	—	—
		下				6.7	19.2	1.5	8.2	18,000	7.9	—	—	—	—	—	—	—
	25	上	13.0	3.0	13.7	0.5	16.6	2.2	10	14,000	8.0	4	0.41	0.063	—	—	—	0.005
		中				2.0	16.5	2.2	10	15,000	8.0	—	—	—	—	—	—	—
		下				10.0	18.6	1.7	8.2	17,000	7.9	—	—	—	—	—	—	—
	30	上	14.3	4.3	6.0	0.5	16.9	2.1	9.3	14,000	7.9	2	0.74	0.070	—	—	—	0.009
	31	上	15.0	3.2	4.2	0.5	17.9	2.1	9.4	15,000	7.9	1	0.54	0.064	—	—	—	0.007

定期水質調査結果（生活環境項目等）

採水 年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサ 抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロフィルa (μg/L)	全亜鉛 (mg/L)
2025/1/8	20	上	8.6	3.8	7.3	0.5	12.5	2.0	7.8	17,000	8.0	18	0.22	0.044	-	-	-	<0.005
		中				2.0	11.7	1.7	8.3	18,000	8.0	-	-	-	-	-	-	-
		下				5.3	12.3	1.5	8.2	18,000	8.0	-	-	-	-	-	-	-
	21	上	7.2	5.0	8.5	0.5	11.6	1.5	9.3	18,000	8.0	5	0.17	0.071	-	-	-	<0.005
		中				2.0	11.1	1.5	10	18,000	8.0	-	-	-	-	-	-	-
		下				6.5	11.5	1.3	9.4	18,000	8.0	-	-	-	-	-	-	-
	25	上	4.5	3.2	13.5	0.5	10.7	1.5	9.4	17,000	8.0	2	0.15	0.035	-	-	-	<0.005
		中				2.0	10.3	1.4	9.4	18,000	8.0	-	-	-	-	-	-	-
		下				10.0	10.7	1.4	9.6	18,000	8.0	-	-	-	-	-	-	-
	30	上	7.4	4.3	5.7	0.5	10.8	1.5	8.3	17,000	8.0	3	0.21	0.045	-	-	-	<0.005
	31	上	8.0	4.2	5.2	0.5	13.0	1.5	8.5	17,000	8.0	4	0.23	0.042	-	-	-	0.007
2025/2/18	20	上	8.1	2.2	5.7	0.5	9.8	2.1	10	17,000	8.1	8	0.25	0.040	<0.5	-	9	<0.005
		中				2.0	9.9	2.4	10	17,000	8.1	-	-	-	-	-	-	-
		下				3.7	9.9	2.0	10	17,000	8.1	-	-	-	-	-	-	-
	21	上	5.2	2.6	8.8	0.5	9.0	1.9	10	17,000	8.1	14	0.28	0.032	<0.5	-	8	<0.005
		中				2.0	8.4	1.9	11	17,000	8.1	-	-	-	-	-	-	-
		下				6.8	8.8	1.8	10	17,000	8.1	-	-	-	-	-	-	-
	25	上	6.1	3.8	13.8	0.5	8.8	1.8	10	17,000	8.1	9	0.13	0.028	<0.5	0	3	<0.005
		中				2.0	7.7	1.8	11	17,000	8.1	-	-	-	-	-	-	-
		下				10.0	8.3	1.9	10	17,000	8.1	-	-	-	-	-	-	-
	30	上	6.6	2.3	6.0	0.5	9.0	2.4	10	17,000	8.1	6	0.27	0.081	<0.5	-	10	<0.005
	31	上	7.2	1.7	5.3	0.5	8.6	2.6	10	17,000	8.1	13	0.32	0.027	<0.5	-	11	0.011
2025/3/5	20	上	9.0	3.0	7.6	0.5	9.9	1.6	10	14,000	7.9	3	0.38	0.042	-	-	-	0.005
		中				2.0	10.1	1.6	9.9	15,000	8.0	-	-	-	-	-	-	-
		下				5.6	10.3	1.6	9.4	17,000	8.0	-	-	-	-	-	-	-
	21	上	8.2	2.7	9.0	0.5	10.1	1.8	10	14,000	8.0	3	0.29	0.039	-	-	-	<0.005
		中				2.0	9.7	1.8	10	15,000	8.0	-	-	-	-	-	-	-
		下				7.0	10.6	1.4	9.4	18,000	8.0	-	-	-	-	-	-	-
	25	上	8.5	2.8	14.2	0.5	9.3	1.7	10	14,000	8.0	2	0.31	0.037	-	-	-	<0.005
		中				2.0	9.4	1.7	10	16,000	8.0	-	-	-	-	-	-	-
		下				10.0	9.4	1.5	10	17,000	8.0	-	-	-	-	-	-	-
	30	上	9.1	3.0	6.9	0.5	9.4	2.1	10	15,000	8.0	3	0.60	0.054	-	-	-	0.006
	31	上	8.4	3.0	4.9	0.5	10.9	2.2	9.6	15,000	7.9	6	0.66	0.039	-	-	-	0.007