

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2024/4/10	60	上	13.0	3.2	8.1	0.5	13.6	1.3	9.8	15,000	8.0	6	-	-	<0.5
		中				2.0	12.2	1.5	9.6	16,000	8.0	-	-	-	-
		下				6.1	12.1	1.5	9.4	17,000	8.0	-	-	-	-
	61	上	13.0	0.9	9.1	0.5	14.0	1.7	9.4	11,000	8.0	11	-	-	<0.5
		中				2.0	14.0	1.4	9.9	14,000	8.0	-	-	-	-
		下				7.1	13.9	1.5	9.1	17,000	8.0	-	-	-	-
	62	上	14.5	3.2	10.2	0.5	14.1	1.8	10	15,000	8.0	9	-	-	<0.5
		中				2.0	12.7	1.8	9.5	16,000	8.0	-	-	-	-
		下				8.2	12.4	1.6	8.6	17,000	8.0	-	-	-	-
	63	上	12.0	2.8	10.5	0.5	13.4	1.9	10	16,000	8.0	8	-	-	<0.5
		中				2.0	12.1	1.8	9.8	17,000	8.0	-	-	-	-
		下				8.5	12.1	1.5	9.0	17,000	8.0	-	-	-	-
	64	上	12.0	3.7	9.9	0.5	12.4	1.7	11	10,000	8.0	8	-	-	<0.5
		中				2.0	12.3	1.8	9.4	16,000	8.0	-	-	-	-
		下				7.9	12.1	1.6	9.0	18,000	8.0	-	-	-	-
	65	上	12.0	3.2	9.4	0.5	12.7	1.7	10	13,000	8.0	10	-	-	<0.5
		中				2.0	12.4	1.8	10	16,000	8.0	-	-	-	-
		下				7.4	13.1	1.5	9.2	18,000	8.0	-	-	-	-
	66	上	12.4	3.2	6.8	0.5	13.4	1.9	10	16,000	8.0	12	-	-	<0.5
		中				2.0	13.8	1.8	10	16,000	8.0	-	-	-	-
		下				4.8	14.0	1.6	9.6	16,000	8.0	-	-	-	-
	23	上	11.7	0.7	12.5	0.5	12.6	1.8	10	8,900	8.0	11	-	-	<0.5
2024/5/8	60	上	19.9	2.0	8.5	0.5	19.1	2.2	9.5	13,000	8.2	7	0.62	0.048	<0.5
		中				2.0	19.0	2.0	9.6	14,000	8.2	-	-	-	-
		下				6.5	18.4	1.4	9.4	16,000	8.1	-	-	-	-
	61	上	20.1	2.6	8.5	0.5	18.9	1.7	9.2	15,000	8.2	9	0.24	0.029	<0.5
		中				2.0	18.8	2.0	9.4	15,000	8.2	-	-	-	-
		下				6.5	18.6	1.7	8.3	17,000	8.1	-	-	-	-
	62	上	19.7	2.1	9.4	0.5	19.4	2.6	10	11,000	8.2	10	0.73	0.046	<0.5
		中				2.0	18.8	1.7	9.0	16,000	8.2	-	-	-	-
		下				7.4	17.9	1.6	8.1	16,000	8.0	-	-	-	-
	63	上	19.9	2.0	9.8	0.5	19.0	2.3	7.1	13,000	8.2	7	0.55	0.039	<0.5
		中				2.0	19.2	2.2	9.4	13,000	8.2	-	-	-	-
		下				7.8	18.2	1.5	9.0	16,000	8.1	-	-	-	-
	64	上	19.8	2.2	9.7	0.5	19.1	2.1	8.1	15,000	8.2	6	0.26	0.030	<0.5
		中				2.0	19.2	2.0	7.5	15,000	8.2	-	-	-	-
		下				7.7	18.5	1.5	7.3	16,000	8.1	-	-	-	-
	65	上	18.2	2.0	8.0	0.5	19.2	2.1	9.6	14,000	8.3	3	0.31	0.033	<0.5
		中				2.0	19.3	2.1	10	14,000	8.2	-	-	-	-
		下				6.0	18.5	1.6	8.8	16,000	8.1	-	-	-	-
	66	上	19.8	1.7	6.7	0.5	19.6	2.4	9.6	13,000	8.2	5	0.42	0.035	<0.5
		中				2.0	19.8	2.2	9.0	14,000	8.2	-	-	-	-
		下				4.7	19.0	1.7	8.5	16,000	8.1	-	-	-	-
	23	上	19.7	2.5	11.4	0.5	20.0	1.9	9.0	15,000	8.2	3	0.30	0.039	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2024/6/4	60	上	25.5	3.3	7.1	0.5	20.2	2.1	8.4	12,000	8.0	2	-	-	<0.5
		中				2.0	20.0	1.9	7.7	13,000	8.0	-	-	-	-
		下				5.1	19.7	1.5	7.1	16,000	7.9	-	-	-	-
	61	上	23.7	2.3	8.7	0.5	20.2	2.0	9.2	8,300	8.0	2	-	-	<0.5
		中				2.0	20.1	2.0	9.0	9,500	8.0	-	-	-	-
		下				6.7	19.3	1.3	6.4	17,000	7.9	-	-	-	-
	62	上	23.9	2.7	9.2	0.5	20.2	1.9	8.9	11,000	8.0	3	-	-	<0.5
		中				2.0	20.0	2.0	8.4	13,000	8.0	-	-	-	-
		下				7.2	19.2	1.6	5.9	17,000	7.9	-	-	-	-
	63	上	23.6	2.7	9.6	0.5	20.5	1.8	9.2	10,000	8.1	2	-	-	<0.5
		中				2.0	19.9	1.8	8.3	13,000	8.0	-	-	-	-
		下				7.6	19.3	1.4	6.0	16,000	7.9	-	-	-	-
	64	上	23.0	3.7	9.3	0.5	20.0	2.0	8.7	12,000	8.0	1	-	-	<0.5
		中				2.0	19.9	1.8	7.9	14,000	8.0	-	-	-	-
		下				7.3	19.2	1.5	6.0	17,000	7.9	-	-	-	-
	65	上	22.6	3.4	8.3	0.5	20.3	1.8	8.6	13,000	8.0	2	-	-	<0.5
		中				2.0	20.3	1.8	8.4	13,000	8.0	-	-	-	-
		下				6.3	19.6	1.5	8.3	17,000	7.9	-	-	-	-
	66	上	23.4	3.7	6.0	0.5	20.3	1.8	8.6	13,000	8.0	1	-	-	<0.5
		中				2.0	19.8	1.9	6.8	16,000	7.9	-	-	-	-
		下				4.0	19.6	1.7	7.0	16,000	7.9	-	-	-	-
	23	上	21.8	3.2	10.8	0.5	21.4	2.7	9.9	9,700	8.2	5	-	-	<0.5
2024/7/2	60	上	24.0	0.6	9.2	0.5	21.7	2.9	9.3	1,400	7.6	14	0.68	0.094	<0.5
		中				2.0	22.6	2.5	9.2	6,100	7.9	-	-	-	-
		下				7.2	22.5	1.7	6.7	16,000	7.9	-	-	-	-
	61	上	24.0	0.6	9.1	0.5	21.8	2.6	9.5	1,600	7.7	12	0.59	0.095	<0.5
		中				2.0	22.8	2.5	8.7	2,100	7.8	-	-	-	-
		下				7.1	22.5	1.9	6.5	17,000	7.9	-	-	-	-
	62	上	23.5	0.6	9.5	0.5	22.2	2.8	9.4	2,700	7.8	9	0.75	0.10	<0.5
		中				2.0	22.9	2.9	7.7	11,000	7.9	-	-	-	-
		下				7.5	22.4	1.8	6.5	17,000	7.9	-	-	-	-
	63	上	24.4	0.6	9.9	0.5	22.5	3.8	9.1	2,000	7.7	11	0.92	0.12	<0.5
		中				2.0	22.8	2.7	8.5	8,100	7.9	-	-	-	-
		下				7.9	22.4	2.6	6.4	17,000	7.9	-	-	-	-
	64	上	23.5	0.6	10.2	0.5	22.1	2.7	9.2	1,700	7.7	9	0.68	0.096	<0.5
		中				2.0	22.9	2.4	8.4	9,200	8.0	-	-	-	-
		下				8.2	22.4	1.8	6.9	17,000	7.9	-	-	-	-
	65	上	23.7	0.5	9.8	0.5	22.2	5.1	8.9	830	7.5	15	1.1	0.26	<0.5
		中				2.0	23.1	3.1	8.4	10,000	8.0	-	-	-	-
		下				7.8	22.7	2.0	7.2	17,000	8.0	-	-	-	-
	66	上	23.6	0.5	7.4	0.5	22.2	5.3	9.2	380	7.5	11	1.1	0.11	<0.5
		中				2.0	22.8	3.9	9.2	4,800	7.9	-	-	-	-
		下				5.4	22.7	2.3	6.7	15,000	7.9	-	-	-	-
	23	上	23.0	0.7	11.2	0.5	22.7	2.5	8.7	2,500	7.9	12	0.55	0.082	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2024/8/7	60	上	34.1	2.5	9.1	0.5	29.4	2.2	10	14,000	8.2	5	-	-	<0.5
		中				2.0	28.5	1.6	8.2	16,000	8.1	-	-	-	-
		下				7.1	26.4	1.3	4.5	17,000	7.8	-	-	-	-
	61	上	34.2	1.8	9.9	0.5	29.2	2.4	8.3	13,000	8.3	7	-	-	<0.5
		中				2.0	29.8	2.1	9.9	14,000	8.2	-	-	-	-
		下				7.9	30.2	1.5	11	18,000	7.8	-	-	-	-
	62	上	33.4	2.1	9.7	0.5	29.5	2.5	11	14,000	8.2	6	-	-	<0.5
		中				2.0	28.2	1.8	8.3	16,000	8.1	-	-	-	-
		下				7.7	25.6	1.7	4.1	18,000	7.8	-	-	-	-
	63	上	33.8	2.0	10.9	0.5	29.5	2.8	11	14,000	8.2	11	-	-	<0.5
		中				2.0	28.8	2.4	9.7	15,000	8.2	-	-	-	-
		下				8.9	27.1	1.5	6.3	17,000	7.9	-	-	-	-
	64	上	32.4	2.5	10.6	0.5	29.2	2.3	10	14,000	8.2	6	-	-	<0.5
		中				2.0	28.3	1.9	8.5	16,000	8.1	-	-	-	-
		下				8.6	25.8	1.7	4.6	18,000	7.8	-	-	-	-
	65	上	31.9	2.5	9.5	0.5	29.2	2.0	10	15,000	8.1	3	-	-	<0.5
		中				2.0	28.3	1.9	8.5	15,000	8.1	-	-	-	-
		下				7.5	25.8	1.4	4.6	18,000	8.0	-	-	-	-
	66	上	32.5	2.8	7.3	0.5	29.4	1.7	8.4	16,000	8.1	2	-	-	<0.5
		中				2.0	30.8	1.8	8.3	16,000	8.1	-	-	-	-
		下				5.3	28.7	1.8	7.4	17,000	8.0	-	-	-	-
	23	上	31.4	2.3	12.0	0.5	30.3	2.1	8.9	16,000	8.2	9	-	-	<0.5
2024/9/4	60	上	28.2	3.7	9.4	0.5	27.5	1.8	8.8	7,200	7.9	2	0.81	0.064	<0.5
		中				2.0	28.4	1.6	8.1	10,000	7.9	-	-	-	-
		下				7.4	28.3	1.5	6.5	15,000	7.9	-	-	-	-
	61	上	28.8	2.5	10.1	0.5	27.6	1.9	9.0	7,100	7.9	1	0.72	0.060	<0.5
		中				2.0	28.3	1.9	8.5	10,000	7.9	-	-	-	-
		下				8.1	28.2	1.3	6.7	15,000	7.9	-	-	-	-
	62	上	30.5	3.3	10.5	0.5	27.5	1.8	9.1	8,000	7.9	1	0.88	0.075	<0.5
		中				2.0	27.9	1.8	8.6	8,500	7.9	-	-	-	-
		下				8.5	28.4	1.3	6.9	15,000	8.0	-	-	-	-
	63	上	28.5	3.2	9.4	0.5	27.6	1.8	8.9	7,300	7.9	2	0.77	0.069	<0.5
		中				2.0	28.0	1.7	8.5	8,400	7.9	-	-	-	-
		下				7.4	28.4	1.3	6.9	15,000	8.0	-	-	-	-
	64	上	28.9	2.9	9.2	0.5	27.9	1.9	8.8	7,600	7.9	2	0.88	0.059	<0.5
		中				2.0	28.5	1.4	7.7	13,000	8.0	-	-	-	-
		下				7.2	28.5	1.9	7.0	15,000	8.0	-	-	-	-
	65	上	28.7	2.2	9.6	0.5	27.9	1.9	9.4	7,800	7.9	5	0.68	0.059	<0.5
		中				2.0	28.2	1.9	8.8	9,600	7.9	-	-	-	-
		下				7.6	28.6	1.3	7.3	15,000	8.0	-	-	-	-
	66	上	28.7	2.2	7.0	0.5	28.0	1.9	9.4	7,800	7.9	1	0.61	0.060	<0.5
		中				2.0	28.5	1.9	8.6	10,000	8.0	-	-	-	-
		下				5.0	28.7	1.4	7.2	15,000	8.0	-	-	-	-
	23	上	27.6	2.6	11.7	0.5	27.7	1.6	9.0	9,500	7.9	1	0.62	0.061	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2024/10/1	60	上	26.8	2.6	8.3	0.5	26.8	2.3	8.9	13,000	8.1	4	-	-	<0.5
		中				2.0	26.8	2.3	9.3	14,000	8.1	-	-	-	-
		下				6.3	26.9	1.2	4.0	15,000	7.8	-	-	-	-
	61	上	26.4	1.8	9.4	0.5	26.8	2.3	9.4	13,000	8.2	3	-	-	<0.5
		中				2.0	27.5	2.3	9.2	13,000	8.1	-	-	-	-
		下				7.4	27.0	1.6	3.3	16,000	7.8	-	-	-	-
	62	上	26.0	1.8	9.6	0.5	26.5	2.4	9.6	13,000	8.1	2	-	-	<0.5
		中				2.0	26.7	1.9	9.8	13,000	8.2	-	-	-	-
		下				7.6	26.9	1.8	3.3	16,000	7.8	-	-	-	-
	63	上	26.0	1.8	10.4	0.5	27.2	2.6	9.9	13,000	8.2	3	-	-	<0.5
		中				2.0	26.3	1.8	9.1	13,000	8.1	-	-	-	-
		下				8.4	26.8	1.8	3.2	16,000	7.8	-	-	-	-
	64	上	27.0	1.8	10.2	0.5	26.7	2.6	10	12,000	8.2	2	-	-	<0.5
		中				2.0	26.6	2.6	10	12,000	8.2	-	-	-	-
		下				8.2	27.0	1.9	5.2	15,000	7.9	-	-	-	-
	65	上	25.9	1.6	9.3	0.5	26.7	2.4	10	13,000	8.2	3	-	-	<0.5
		中				2.0	26.8	2.4	10	13,000	8.1	-	-	-	-
		下				7.3	26.9	2.5	5.9	15,000	7.9	-	-	-	-
	66	上	26.2	2.0	6.7	0.5	27.0	2.3	9.4	12,000	8.1	3	-	-	<0.5
		中				2.0	26.9	2.8	10	13,000	8.2	-	-	-	-
		下				4.7	26.7	2.6	8.4	14,000	8.1	-	-	-	-
	23	上	25.3	1.7	11.6	0.5	26.6	2.3	8.6	13,000	8.1	5	-	-	<0.5
2024/11/6	60	上	21.0	3.3	9.4	0.5	22.9	1.7	7.0	13,000	7.9	<1	0.62	0.071	<0.5
		中				2.0	23.9	1.4	6.1	14,000	7.9	-	-	-	-
		下				7.4	25.0	1.6	4.2	18,000	7.9	-	-	-	-
	61	上	21.4	2.2	12.8	0.5	21.7	1.9	8.3	11,000	7.9	2	0.77	0.077	<0.5
		中				2.0	23.1	1.7	6.6	13,000	7.9	-	-	-	-
		下				10.8	23.9	1.7	4.4	17,000	7.9	-	-	-	-
	62	上	22.0	2.8	10.9	0.5	23.1	2.0	7.5	11,000	7.9	1	0.90	0.089	<0.5
		中				2.0	24.0	1.8	6.3	14,000	7.9	-	-	-	-
		下				9.9	24.6	1.6	5.4	17,000	7.9	-	-	-	-
	63	上	21.0	2.3	11.8	0.5	22.5	1.8	7.3	13,000	7.9	1	0.46	0.10	<0.5
		中				2.0	23.4	1.4	6.3	15,000	7.9	-	-	-	-
		下				9.8	23.7	1.5	5.9	17,000	8.0	-	-	-	-
	64	上	22.0	2.8	11.3	0.5	23.6	1.6	6.4	14,000	7.9	1	0.38	0.072	<0.5
		中				2.0	24.3	1.5	5.5	15,000	7.9	-	-	-	-
		下				8.3	24.6	1.6	4.9	17,000	7.9	-	-	-	-
	65	上	22.0	2.5	10.0	0.5	22.8	1.7	6.6	12,000	7.9	1	0.54	0.076	<0.5
		中				2.0	22.0	1.7	6.8	13,000	7.9	-	-	-	-
		下				8.0	24.1	1.7	5.5	17,000	7.9	-	-	-	-
	66	上	20.8	2.0	7.8	0.5	21.8	1.7	6.9	12,000	7.9	1	0.64	0.065	<0.5
		中				2.0	21.3	1.8	6.0	14,000	7.9	-	-	-	-
		下				5.8	23.2	1.8	5.7	15,000	7.9	-	-	-	-
	23	上	20.3	1.9	12.8	0.5	21.3	1.8	8.4	10,000	7.9	2	0.58	0.068	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2024/12/4	60	上	14.4	2.8	10.2	0.5	16.2	2.1	10	14,000	8.0	4	-	-	<0.5
		中				2.0	16.9	2.2	10	14,000	8.0	-	-	-	-
		下				8.2	18.9	1.5	8.0	17,000	8.0	-	-	-	-
	61	上	15.6	2.5	9.9	0.5	16.7	2.3	10	15,000	8.1	4	-	-	<0.5
		中				2.0	16.2	2.3	10	16,000	8.0	-	-	-	-
		下				7.9	18.3	1.7	8.6	17,000	8.0	-	-	-	-
	62	上	16.1	2.6	11.1	0.5	16.8	2.0	10	15,000	8.0	7	-	-	<0.5
		中				2.0	16.3	2.2	11	15,000	8.0	-	-	-	-
		下				9.1	18.8	1.6	8.6	17,000	8.0	-	-	-	-
	63	上	17.1	2.6	11.6	0.5	16.2	2.2	10	14,000	8.1	5	-	-	<0.5
		中				2.0	17.0	2.3	10	15,000	8.0	-	-	-	-
		下				9.6	19.3	1.7	8.2	17,000	8.0	-	-	-	-
	64	上	16.4	2.7	11.2	0.5	16.0	2.2	11	14,000	8.0	6	-	-	<0.5
		中				2.0	17.1	2.3	10	15,000	8.0	-	-	-	-
		下				9.2	18.8	1.7	7.9	17,000	8.0	-	-	-	-
	65	上	15.2	2.7	10.2	0.5	16.1	2.0	11	15,000	8.1	5	-	-	<0.5
		中				2.0	16.9	2.3	10	15,000	8.1	-	-	-	-
		下				8.2	18.6	1.7	8.4	18,000	8.0	-	-	-	-
	66	上	17.1	2.1	7.6	0.5	16.3	2.3	11	15,000	8.1	6	-	-	<0.5
		中				2.0	16.8	2.4	11	15,000	8.1	-	-	-	-
		下				5.6	17.7	1.7	9.3	16,000	8.0	-	-	-	-
	23	上	15.1	3.1	12.6	0.5	16.8	2.0	10	15,000	8.0	5	-	-	<0.5
2025/1/16	60	上	6.6	3.8	10.3	0.5	11.1	1.4	9.1	18,000	8.0	1	0.27	0.034	<0.5
		中				2.0	11.0	1.6	9.4	18,000	8.0	-	-	-	-
		下				8.3	11.0	1.6	9.3	18,000	8.0	-	-	-	-
	61	上	6.8	4.1	10.0	0.5	10.9	1.6	9.1	17,000	8.0	2	0.31	0.042	<0.5
		中				2.0	10.7	1.5	9.3	18,000	8.0	-	-	-	-
		下				8.0	10.9	1.5	9.3	18,000	8.0	-	-	-	-
	62	上	6.8	4.0	10.3	0.5	11.1	1.5	9.0	17,000	8.0	1	0.31	0.033	<0.5
		中				2.0	10.8	1.6	9.0	18,000	8.0	-	-	-	-
		下				8.3	11.0	1.5	9.0	18,000	8.0	-	-	-	-
	63	上	6.6	4.2	11.5	0.5	11.1	1.6	9.3	17,000	8.0	1	0.30	0.041	<0.5
		中				2.0	11.2	1.6	9.2	18,000	8.0	-	-	-	-
		下				9.5	11.0	1.5	9.3	18,000	8.0	-	-	-	-
	64	上	6.5	4.1	11.0	0.5	10.9	1.7	9.2	17,000	8.0	6	0.26	0.036	<0.5
		中				2.0	11.0	1.6	8.9	17,000	8.0	-	-	-	-
		下				9.0	11.4	1.5	9.2	18,000	8.0	-	-	-	-
	65	上	6.4	4.7	10.5	0.5	10.4	1.4	9.8	17,000	8.0	1	0.29	0.038	<0.5
		中				2.0	10.5	1.6	9.4	17,000	8.0	-	-	-	-
		下				8.5	10.7	1.5	9.4	17,000	8.0	-	-	-	-
	66	上	6.4	4.6	7.2	0.5	10.2	1.6	9.4	17,000	8.0	<1	0.26	0.034	<0.5
		中				2.0	9.6	1.5	9.8	17,000	8.0	-	-	-	-
		下				5.2	10.2	1.4	9.5	17,000	8.0	-	-	-	-
	23	上	5.7	5.8	12.9	0.5	9.5	1.4	9.7	18,000	8.0	1	0.20	0.029	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2025/2/10	60	上	7.2	5.7	8.3	0.5	9.1	1.8	10	16,000	8.0	6	-	-	<0.5
		中				2.0	9.1	1.8	10	16,000	8.1	-	-	-	-
		下				6.3	9.1	2.1	10	17,000	8.1	-	-	-	-
	61	上	6.2	5.3	9.6	0.5	8.8	1.6	10	16,000	8.1	6	-	-	<0.5
		中				2.0	9.2	1.5	10	16,000	8.1	-	-	-	-
		下				7.6	9.1	2.4	10	17,000	8.1	-	-	-	-
	62	上	6.0	5.0	9.6	0.5	8.8	1.9	10	16,000	8.0	3	-	-	<0.5
		中				2.0	8.5	2.1	10	17,000	8.1	-	-	-	-
		下				7.6	9.0	2.2	10	17,000	8.1	-	-	-	-
	63	上	6.3	6.0	10.7	0.5	9.1	1.9	10	16,000	8.0	4	-	-	<0.5
		中				2.0	9.4	2.0	10	16,000	8.0	-	-	-	-
		下				8.7	9.4	2.2	10	17,000	8.1	-	-	-	-
	64	上	6.3	7.2	10.4	0.5	8.9	1.6	10	17,000	8.0	11	-	-	<0.5
		中				2.0	9.1	1.6	10	17,000	8.0	-	-	-	-
		下				8.4	9.1	1.9	10	17,000	8.0	-	-	-	-
	65	上	7.2	7.4	8.9	0.5	8.9	1.4	10	15,000	8.0	11	-	-	<0.5
		中				2.0	9.0	1.3	10	17,000	8.0	-	-	-	-
		下				6.9	8.9	1.7	10	17,000	8.0	-	-	-	-
	66	上	5.7	6.0	7.4	0.5	8.6	1.4	10	16,000	8.0	9	-	-	<0.5
		中				2.0	8.8	1.5	10	16,000	8.0	-	-	-	-
		下				5.4	8.9	1.9	10	17,000	8.0	-	-	-	-
	23	上	4.6	7.0	12.2	0.5	7.7	1.4	10	16,000	8.0	<1	-	-	<0.5
2025/3/4	60	上	5.7	3.5	9.1	0.5	9.2	2.2	10	17,000	8.1	1	0.41	0.027	<0.5
		中				2.0	9.2	2.1	10	17,000	8.1	-	-	-	-
		下				7.1	9.7	1.7	9.0	18,000	8.0	-	-	-	-
	61	上	6.1	4.3	10.5	0.5	9.0	2.1	10	17,000	8.1	3	0.54	0.025	<0.5
		中				2.0	9.6	2.1	9.8	17,000	8.1	-	-	-	-
		下				8.5	9.9	2.1	8.5	18,000	7.9	-	-	-	-
	62	上	5.8	3.5	11.2	0.5	8.7	2.0	11	17,000	8.1	2	0.48	0.029	<0.5
		中				2.0	9.6	2.0	9.8	19,000	8.0	-	-	-	-
		下				9.2	9.9	1.7	8.5	19,000	7.9	-	-	-	-
	63	上	6.0	3.9	11.7	0.5	9.0	2.3	10	17,000	8.0	<1	0.45	0.032	<0.5
		中				2.0	9.5	2.3	9.9	17,000	8.0	-	-	-	-
		下				9.7	9.9	1.6	8.6	18,000	7.9	-	-	-	-
	64	上	6.0	3.6	11.1	0.5	9.3	2.5	10	17,000	8.0	6	0.14	0.15	<0.5
		中				2.0	9.4	1.8	10	17,000	8.0	-	-	-	-
		下				9.1	9.7	1.4	9.4	18,000	8.0	-	-	-	-
	65	上	5.9	4.8	10.1	0.5	10.9	1.6	9.1	17,000	8.1	1	0.21	0.025	<0.5
		中				2.0	8.7	1.7	10	17,000	8.1	-	-	-	-
		下				8.1	9.4	1.6	10	17,000	8.1	-	-	-	-
	66	上	5.8	4.0	8.1	0.5	8.9	1.6	11	17,000	8.1	3	0.22	0.028	<0.5
		中				2.0	9.1	1.7	10	17,000	8.1	-	-	-	-
		下				6.1	9.4	1.7	10	18,000	8.1	-	-	-	-
	23	上	5.7	4.0	12.9	0.5	8.4	1.8	11	17,000	8.1	2	0.54	0.033	<0.5