

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2025/4/9	20	上	17.4	2.7	6.6	0.5	14.1	1.8	9.6	17,000	8.0	3	0.52	0.045	-	-	-	0.008
		中				2.0	14.4	2.1	10	17,000	8.1	-	-	-	-	-	-	
		下				4.6	13.3	2.1	9.8	19,000	8.0	-	-	-	-	-	-	
	21	上	14.1	3.3	7.5	0.5	13.0	1.9	10	17,000	8.0	5	0.39	0.037	-	-	-	0.005
		中				2.0	12.5	1.9	10	17,000	8.0	-	-	-	-	-	-	
		下				5.5	12.3	1.9	9.3	18,000	8.0	-	-	-	-	-	-	
	25	上	16.1	4.0	12.7	0.5	13.2	2.0	10	16,000	8.1	13	0.42	0.032	-	-	-	<0.005
		中				2.0	13.4	2.3	9.9	16,000	8.1	-	-	-	-	-	-	
		下				10.0	12.4	2.4	9.8	18,000	7.9	-	-	-	-	-	-	
	30	上	17.0	2.6	5.2	0.5	14.9	2.7	9.7	17,000	8.0	12	0.38	0.046	-	-	-	0.008
	31	上	16.2	2.2	4.4	0.5	15.1	2.6	9.5	17,000	8.0	3	0.53	0.056	-	-	-	0.014
	2025/5/14	20	上	21.7	2.1	5.2	0.5	20.7	2.3	8.7	12,000	8.0	4	0.49	0.052	<0.5	-	8
中			2.0				19.9	2.5	7.8	17,000	8.0	-	-	-	-	-	-	
下			3.2				19.1	2.4	8.0	18,000	8.0	-	-	-	-	-	-	
21		上	19.6	2.5	7.4	0.5	19.2	2.4	9.4	12,000	8.1	10	0.58	0.049	<0.5	-	8	0.007
		中				2.0	19.4	2.7	9.6	16,000	8.1	-	-	-	-	-	-	
		下				5.4	17.6	2.1	7.7	18,000	8.0	-	-	-	-	-	-	
25		上	20.1	2.5	12.5	0.5	19.2	3.0	10	13,000	8.3	3	0.36	0.044	<0.5	0	13	0.006
		中				2.0	19.4	2.6	10	17,000	8.3	-	-	-	-	-	-	
		下				10.0	16.4	1.7	5.2	20,000	7.8	-	-	-	-	-	-	
30		上	22.4	2.1	4.9	0.5	19.4	3.1	8.2	14,000	8.0	5	0.72	0.050	<0.5	-	7	0.013
31		上	22.4	1.9	4.1	0.5	21.5	2.5	7.1	13,000	7.9	4	0.66	0.062	<0.5	-	5	0.013
2025/6/13		20	上	26.5	1.8	5.9	0.5	21.7	2.1	7.5	9,700	7.9	1	0.57	0.048	-	-	-
	中		2.0				22.4	2.3	6.5	11,000	7.8	-	-	-	-	-	-	
	下		3.9				21.6	2.2	6.0	14,000	7.8	-	-	-	-	-	-	
	21	上	24.0	1.6	7.6	0.5	20.6	2.2	7.9	7,500	7.9	3	0.49	0.052	-	-	-	0.005
		中				2.0	21.6	2.5	7.6	8,300	7.9	-	-	-	-	-	-	
		下				5.6	20.3	2.0	6.2	16,000	7.9	-	-	-	-	-	-	
	25	上	24.0	1.3	12.7	0.5	22.3	3.4	11	7,300	8.3	4	0.51	0.067	-	-	-	<0.005
		中				2.0	23.1	3.3	10	8,400	8.3	-	-	-	-	-	-	
		下				10	20.4	1.5	5.8	18,000	7.9	-	-	-	-	-	-	
	30	上	26.0	2.0	5.2	0.5	22.0	3.0	6.9	8,400	7.8	1	0.99	0.088	-	-	-	0.012
	31	上	25.8	1.7	4.3	0.5	22.4	2.9	7.8	10,000	7.9	5	0.69	0.078	-	-	-	0.013

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2025/7/3	20	上	31.3	1.2	6.9	0.5	28.6	4.4	8.5	6,500	8.2	7	0.52	0.094	-	-	-	0.006
		中				2.0	27.6	3.2	5.7	11,000	7.9	-	-	-	-	-	-	
		下				4.9	25.1	2.3	4.7	15,000	7.9	-	-	-	-	-	-	
	21	上	28.7	1.1	7.6	0.5	27.4	4.2	8.1	8,200	8.3	7	0.44	0.087	-	-	-	<0.005
		中				2.0	27.2	3.5	6.9	11,000	8.2	-	-	-	-	-	-	
		下				5.6	24.5	2.2	5.0	15,000	7.9	-	-	-	-	-	-	
	25	上	30.5	1.9	13.2	0.5	28.9	3.7	8.6	10,000	8.6	3	0.34	0.047	-	-	-	<0.005
		中				2.0	28.7	3.7	8.3	10,000	8.5	-	-	-	-	-	-	
		下				10	24.0	1.9	5.1	18,000	7.9	-	-	-	-	-	-	
	30	上	33.5	0.9	5.8	0.5	29.0	6.1	10	7,400	8.5	7	0.83	0.098	-	-	-	0.010
	31	上	31.0	1.2	4.5	0.5	29.2	5.0	9.3	7,500	8.3	6	0.44	0.14	-	-	-	0.006
	2025/8/7	20	上	32.0	1.8	5.8	0.5	30.8	3.2	7.3	12,000	8.1	1	0.38	0.056	<0.5	-	16
中			2.0				30.4	2.6	6.5	12,000	8.1	-	-	-	-	-	-	
下			3.8				30.1	2.1	4.1	13,000	7.9	-	-	-	-	-	-	
21		上	30.2	2.1	7.0	0.5	30.0	2.4	6.6	12,000	8.2	<1	0.30	0.055	<0.5	-	11	<0.005
		中				2.0	30.0	2.2	6.7	12,000	8.1	-	-	-	-	-	-	
		下				5.0	28.8	1.8	4.0	16,000	7.9	-	-	-	-	-	-	
25		上	30.4	3.1	12.0	0.5	30.2	2.1	6.6	14,000	8.2	<1	0.30	0.048	<0.5	10	5	<0.005
		中				2.0	30.1	2.4	6.4	14,000	8.2	-	-	-	-	-	-	
		下				10	28.3	1.7	5.0	16,000	8.1	-	-	-	-	-	-	
30		上	30.9	2.1	4.9	0.5	30.0	2.8	4.7	13,000	8.0	2	0.48	0.087	<0.5	-	11	0.007
31		上	31.4	2.1	4.2	0.5	30.1	2.6	6.1	13,000	8.0	1	0.84	0.092	<0.5	-	17	0.006
2025/9/3		20	上	33.5	1.4	6.1	0.5	31.4	2.9	7.6	12,000	8.1	1	0.37	0.076	-	-	-
	中		2.0				31.0	2.7	6.4	13,000	8.0	-	-	-	-	-	-	
	下		4.1				29.5	1.7	4.0	14,000	7.9	-	-	-	-	-	-	
	21	上	30.9	1.3	6.9	0.5	30.7	2.4	6.9	12,000	8.1	2	0.30	0.066	-	-	-	<0.005
		中				2.0	31.3	2.7	6.6	12,000	8.1	-	-	-	-	-	-	
		下				4.9	29.4	1.7	4.7	14,000	7.9	-	-	-	-	-	-	
	25	上	31.2	2.8	12.4	0.5	29.9	1.8	6.9	14,000	8.1	3	0.30	0.048	-	-	-	<0.005
		中				2.0	30.7	1.7	6.8	16,000	8.1	-	-	-	-	-	-	
		下				10	25.7	1.6	2.0	17,000	7.8	-	-	-	-	-	-	
	30	上	31.7	1.4	4.8	0.5	30.8	3.3	7.9	12,000	8.2	5	0.66	0.095	-	-	-	<0.005
	31	上	34.0	1.5	3.6	0.5	31.9	2.8	7.9	11,000	8.1	5	0.53	0.092	-	-	-	<0.005

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)	
2025/10/28	20	上	17.8	4.5	7.0	0.5	22.2	1.3	3.2	18,000	7.7	2	0.43	0.090	-	-	-	0.020	
		中				2.0	22.2	1.3	3.7	17,000	7.8	-	-	-	-	-	-		
		下				5.0	22.4	1.5	2.5	19,000	7.8	-	-	-	-	-	-		
	21	上	16.7	5.9	8.0	0.5	21.5	1.5	4.3	18,000	7.8	<1	0.70	0.080	-	-	-	-	0.015
		中				2.0	20.7	1.7	4.8	18,000	7.8	-	-	-	-	-	-		
		下				6.0	21.5	1.8	4.3	18,000	7.8	-	-	-	-	-	-		
	25	上	16.1	4.5	13.4	0.5	19.1	1.8	8.7	16,000	8.1	2	0.21	0.044	-	-	-	-	0.014
		中				2.0	19.3	1.8	8.3	17,000	8.1	-	-	-	-	-	-		
		下				10	21.1	1.8	4.4	18,000	7.9	-	-	-	-	-	-		
	30	上	16.9	4.0	5.5	0.5	20.7	1.3	4.0	18,000	7.8	2	0.57	0.092	-	-	-	-	0.015
	31	上	18.2	3.7	5.5	0.5	23.9	1.2	3.8	19,000	7.8	1	0.81	0.075	-	-	-	-	0.018
	2025/11/19	20	上	14.4	3.3	6.3	0.5	20.4	1.6	4.1	18,000	7.8	3	0.32	0.081	<0.5	-	<2	0.013
中			2.0				19.4	1.7	4.6	18,000	7.9	-	-	-	-	-	-		
下			4.3				20.1	1.6	4.4	18,000	7.9	-	-	-	-	-	-		
21		上	12.8	6.0	7.5	0.5	18.4	1.5	5.8	18,000	7.9	1	0.26	0.071	<0.5	-	<2	0.012	
		中				2.0	18.0	1.8	7.3	18,000	7.9	-	-	-	-	-	-		
		下				5.5	18.4	1.6	5.8	18,000	7.9	-	-	-	-	-	-		
25		上	13.5	5.5	12.1	0.5	15.6	1.7	8.9	17,000	8.0	1	0.25	0.051	<0.5	0	2	0.011	
		中				2.0	14.8	1.6	10	17,000	8.0	-	-	-	-	-	-		
		下				10.0	18.6	1.5	5.6	18,000	7.9	-	-	-	-	-	-		
30		上	15.1	4.4	5.4	0.5	16.9	1.8	5.5	17,000	7.8	8	0.45	0.093	<0.5	-	<2	0.016	
31		上	16.9	3.4	4.6	0.5	20.4	1.8	4.3	17,000	7.8	21	0.68	0.091	<0.5	-	<2	0.017	
2025/12/22		20	上	13.0	4.0	6.3	0.5	14.7	1.9	7.3	17,000	8.0	6	0.27	0.058	-	-	-	<0.005
	中		2.0				14.5	1.8	7.6	18,000	8.0	-	-	-	-	-	-		
	下		4.3				14.5	1.7	7.9	18,000	8.0	-	-	-	-	-	-		
	21	上	11.5	4.2	8.3	0.5	13.8	1.8	8.0	18,000	8.0	4	0.36	0.063	-	-	-	<0.005	
		中				2.0	13.5	1.7	8.3	17,000	8.0	-	-	-	-	-	-		
		下				6.3	14.7	1.6	7.5	18,000	8.0	-	-	-	-	-	-		
	25	上	11.7	6.7	13.5	0.5	12.8	1.6	9.6	16,000	8.0	7	0.26	0.044	-	-	-	<0.005	
		中				2.0	12.7	1.7	10	16,000	8.0	-	-	-	-	-	-		
		下				10.0	12.9	1.7	9.5	17,000	8.0	-	-	-	-	-	-		
	30	上	13.2	5.0	5.1	0.5	14.4	1.8	7.4	17,000	8.0	6	0.34	0.057	-	-	-	<0.005	
	31	上	13.3	3.7	4.4	0.5	15.9	1.7	7.7	17,000	8.0	4	0.36	0.052	-	-	-	<0.005	

定期水質調査結果（生活環境項目等）

採水年月日	地点 (St-)	採水層	気温 (°C)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (°C)	COD (mg/L)	DO (mg/L)	Cl <sup>-</sup> (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン抽出物質 (mg/L)	大腸菌数 (CFU/100mL)	クロロフィルa (μg/L)	全亜鉛 (mg/L)
2026/1/14	20	上	6.7	4.5	6.3	0.5	9.6	2.3	10	16,000	8.0	6	0.37	0.034	-	-	-	<0.005
		中				2.0	8.0	2.2	10	16,000	8.0	-	-	-	-	-	-	
		下				4.3	9.7	2.0	10	16,000	8.0	-	-	-	-	-	-	
	21	上	8.5	4.0	7.7	0.5	9.9	2.0	10	16,000	8.1	3	0.36	0.049	-	-	-	<0.005
		中				2.0	9.4	2.0	10	16,000	8.1	-	-	-	-	-	-	
		下				5.7	10.7	2.0	10	17,000	8.1	-	-	-	-	-	-	
	25	上	7.9	4.7	13.0	0.5	9.0	2.0	10	15,000	8.1	2	0.27	0.036	-	-	-	<0.005
		中				2.0	8.8	2.2	10	16,000	8.1	-	-	-	-	-	-	
		下				10.0	9.5	2.2	10	17,000	8.1	-	-	-	-	-	-	
	30	上	7.8	4.0	5.5	0.5	9.0	2.1	10	16,000	8.0	2	0.45	0.047	-	-	-	<0.005
31	上	7.9	3.0	4.8	0.5	11.3	2.0	10	16,000	8.0	10	0.51	0.041	-	-	-	0.006	
2026/2/4	20	上	8.9	4.7	5.9	0.5	10.3	2.0	9.9	18,000	8.0	1	0.31	0.041	<0.5	-	6	0.013
		中				2.0	10.3	2.6	9.9	18,000	8.0	-	-	-	-	-	-	
		下				3.9	10.1	2.8	9.8	18,000	8.0	-	-	-	-	-	-	
	21	上	4.2	5.4	8.2	0.5	9.0	2.1	9.2	17,000	8.0	3	0.20	0.035	<0.5	-	6	<0.005
		中				2.0	8.0	2.4	11	18,000	8.1	-	-	-	-	-	-	
		下				6.2	8.9	2.5	9.6	19,000	8.0	-	-	-	-	-	-	
	25	上	4.3	8.0	13.5	0.5	7.2	2.0	10	20,000	8.1	3	0.33	0.024	<0.5	0	5	<0.005
		中				2.0	6.8	2.0	10	19,000	8.1	-	-	-	-	-	-	
		下				10.0	7.8	2.8	10	18,000	8.1	-	-	-	-	-	-	
	30	上	7.3	3.3	5.4	0.5	8.2	2.5	9.7	19,000	8.0	3	0.28	0.044	<0.5	-	6	0.006
31	上	9.1	3.6	3.8	0.5	10.8	2.7	9.8	17,000	8.0	5	0.35	0.057	<0.5	-	6	0.013	
2026/3/6	20	上	13.8	3.0	5.8	0.5	10.1	2.2	9.5	17,000	8.0	1	0.27	0.053	-	-	-	<0.005
		中				2.0	10.5	2.7	9.4	18,000	8.0	-	-	-	-	-	-	
		下				3.8	10.8	2.7	9.3	18,000	8.0	-	-	-	-	-	-	
	21	上	9.2	3.5	7.9	0.5	9.3	2.0	9.9	16,000	8.0	2	0.27	0.038	-	-	-	<0.005
		中				2.0	9.3	2.1	9.9	17,000	8.0	-	-	-	-	-	-	
		下				5.9	9.2	1.9	9.7	19,000	8.0	-	-	-	-	-	-	
	25	上	11.0	4.7	13.3	0.5	9.5	2.2	10	18,000	8.1	2	0.39	0.028	-	-	-	<0.005
		中				2.0	9.8	2.2	10	17,000	8.1	-	-	-	-	-	-	
		下				10.0	9.8	2.0	9.9	17,000	8.1	-	-	-	-	-	-	
	30	上	14.2	3.8	4.9	0.5	10.7	2.6	9.7	17,000	8.0	4	0.40	0.046	-	-	-	<0.005
31	上	16.4	2.4	3.9	0.5	11.8	2.6	9.0	17,000	8.0	9	0.49	0.056	-	-	-	0.011	