

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2026/4/7	60	上	14.9	1.7	8.4	0.5	14.5	1.8	9.2	10,000	8.0	8	-	-	<0.5
		中				2.0	13.5	1.9	9.2	16,000	8.0	-	-	-	-
		下				6.4	13.3	1.5	8.9	17,000	8.0	-	-	-	-
	61	上	14.5	1.7	9.0	0.5	14.7	2.4	9.6	10,000	8.0	7	-	-	<0.5
		中				2.0	13.7	2.1	9.1	17,000	8.1	-	-	-	-
		下				7.0	13.3	2.0	8.7	17,000	8.0	-	-	-	-
	62	上	15.1	1.5	12.4	0.5	15.0	2.5	9.6	6,800	7.9	7	-	-	<0.5
		中				2.0	13.5	2.1	9.1	17,000	8.1	-	-	-	-
		下				10.0	13.4	2.1	8.6	17,000	8.0	-	-	-	-
	63	上	15.0	1.8	10.8	0.5	14.7	1.8	9.6	11,000	8.0	6	-	-	<0.5
		中				2.0	13.7	2.3	9.5	15,000	8.1	-	-	-	-
		下				8.8	13.2	2.3	8.9	17,000	8.0	-	-	-	-
	64	上	15.5	1.5	10.2	0.5	14.4	1.8	9.6	6,500	7.9	4	-	-	<0.5
		中				2.0	13.1	2.0	9.1	16,000	8.0	-	-	-	-
		下				8.2	13.2	1.9	8.8	17,000	8.0	-	-	-	-
	65	上	15.6	1.3	9.5	0.5	14.6	2.3	9.8	5,900	7.9	7	-	-	<0.5
		中				2.0	13.5	2.0	9.0	16,000	8.0	-	-	-	-
		下				7.5	13.3	2.0	8.6	17,000	8.0	-	-	-	-
	66	上	15.8	1.4	7.4	0.5	15.0	2.3	10	5,500	7.9	4	-	-	<0.5
		中				2.0	15.1	1.4	8.9	15,000	8.1	-	-	-	-
		下				5.4	13.6	1.9	8.8	17,000	8.0	-	-	-	-
	23	上	16.7	1.2	12.3	0.5	14.8	2.5	9.7	5,800	7.9	5	-	-	<0.5
2026/5/12	60	上	22.0	2.0	8.2	0.5	20.4	2.3	11	10,000	8.3	5	0.48	0.045	<0.5
		中				2.0	19.4	2.7	11	13,000	8.4	-	-	-	-
		下				6.2	18.9	2.0	9.0	16,000	8.1	-	-	-	-
	61	上	20.6	1.9	10.0	0.5	20.7	3.0	11	11,000	8.4	5	0.47	0.051	<0.5
		中				2.0	20.5	3.1	12	12,000	8.5	-	-	-	-
		下				8.0	18.2	1.7	8.7	17,000	8.1	-	-	-	-
	62	上	20.7	1.8	10.6	0.5	20.5	2.3	12	10,000	8.3	8	0.51	0.048	<0.5
		中				2.0	19.5	3.2	12	14,000	8.4	-	-	-	-
		下				8.6	18.2	2.1	8.2	17,000	8.0	-	-	-	-
	63	上	21.7	1.7	10.8	0.5	20.0	3.5	12	12,000	8.4	9	0.37	0.052	<0.5
		中				2.0	19.5	3.0	11	15,000	8.3	-	-	-	-
		下				8.8	18.8	1.9	8.5	17,000	8.1	-	-	-	-
	64	上	21.4	1.9	10.0	0.5	20.6	2.5	11	11,000	8.3	5	0.47	0.042	<0.5
		中				2.0	19.2	2.5	10	13,000	8.3	-	-	-	-
		下				8.0	19.4	2.3	8.5	16,000	8.1	-	-	-	-
	65	上	21.7	2.0	9.2	0.5	19.3	2.6	11	15,000	8.2	6	0.45	0.045	<0.5
		中				2.0	18.8	2.5	10	14,000	8.2	-	-	-	-
		下				7.2	18.2	2.3	8.5	15,000	8.1	-	-	-	-
	66	上	20.9	1.9	6.2	0.5	19.5	2.7	11	15,000	8.2	4	0.45	0.038	<0.5
		中				2.0	19.9	2.5	11	15,000	8.2	-	-	-	-
		下				4.2	18.9	3.0	9.9	16,000	8.2	-	-	-	-
	23	上	21.5	1.8	11.3	0.5	20.0	3.5	11	13,000	8.5	16	0.42	0.053	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	pH	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)
2026/6/16	60	上	26.8	2.0	6.9	0.5	24.0	3.7	10	15,000	8.3	4	-	-	<0.5
		中				2.0	23.8	3.1	9.7	14,000	8.3	-	-	-	-
		下				4.9	23.0	3.0	8.4	15,000	8.1	-	-	-	-
	61	上	24.2	1.7	8.8	0.5	24.3	3.2	10	16,000	8.4	4	-	-	<0.5
		中				2.0	24.1	4.4	10	13,000	8.4	-	-	-	-
		下				6.8	22.0	2.0	5.8	16,000	7.9	-	-	-	-
	62	上	25.3	1.9	9.0	0.5	24.2	3.1	10	12,000	8.4	3	-	-	<0.5
		中				2.0	23.9	3.2	10	14,000	8.4	-	-	-	-
		下				7.0	22.3	2.4	6.4	17,000	8.0	-	-	-	-
	63	上	26.9	1.8	9.6	0.5	23.8	3.3	11	18,000	8.4	5	-	-	<0.5
		中				2.0	23.6	3.2	10	14,000	8.4	-	-	-	-
		下				7.6	22.5	2.0	7.2	16,000	8.0	-	-	-	-
	64	上	27.2	1.8	9.5	0.5	23.8	3.5	10	14,000	8.4	7	-	-	<0.5
		中				2.0	23.1	3.2	9.3	14,000	8.3	-	-	-	-
		下				7.5	22.9	2.2	6.8	16,000	8.0	-	-	-	-
	65	上	27.2	1.1	8.5	0.5	23.1	3.3	9.7	15,000	8.3	6	-	-	<0.5
		中				2.0	22.8	5.5	8.9	16,000	8.2	-	-	-	-
		下				6.5	22.7	2.2	7.7	17,000	8.1	-	-	-	-
	66	上	27.0	2.0	5.8	0.5	23.6	3.0	10	16,000	8.3	6	-	-	<0.5
		中				2.0	23.5	3.1	9.6	15,000	8.3	-	-	-	-
		下				3.8	23.2	2.6	8.4	16,000	8.2	-	-	-	-
	23	上	24.2	2.1	11.5	0.5	24.4	3.6	10	14,000	8.4	7	-	-	<0.5
2026/7/1	60	上	27.0	1.1	6.2	0.5	24.8	4.6	14	3,900	9.0	11	0.76	0.069	<0.5
		中				2.0	24.6	4.5	12	4,700	8.9	-	-	-	-
		下				8.2	22.8	1.8	4.9	16,000	7.9	-	-	-	-
	61	上	26.5	1.1	9.2	0.5	24.6	4.8	14	3,600	9.0	13	0.74	0.13	<0.5
		中				2.0	28.6	4.6	13	4,100	9.0	-	-	-	-
		下				7.2	22.4	1.4	4.0	17,000	7.8	-	-	-	-
	62	上	26.2	1.2	9.6	0.5	24.9	4.7	14	3,900	9.0	12	0.87	0.060	<0.5
		中				2.0	25.1	4.9	13	4,100	9.0	-	-	-	-
		下				7.6	22.9	1.7	4.5	16,000	7.9	-	-	-	-
	63	上	26.5	1.3	10.5	0.5	24.7	4.7	14	3,900	9.0	11	0.72	0.068	<0.5
		中				2.0	24.4	4.6	13	4,200	8.9	-	-	-	-
		下				8.5	22.5	1.6	4.7	16,000	7.9	-	-	-	-
	64	上	26.9	1.3	10.0	0.5	24.7	4.2	14	4,000	8.9	12	0.80	0.069	<0.5
		中				2.0	24.5	4.6	13	4,300	8.9	-	-	-	-
		下				8.0	22.5	1.6	4.4	17,000	7.9	-	-	-	-
	65	上	26.8	1.0	9.2	0.5	24.6	4.4	14	4,100	9.0	12	0.99	0.088	<0.5
		中				2.0	24.7	4.6	13	4,700	8.8	-	-	-	-
		下				7.2	22.6	1.6	4.3	17,000	7.9	-	-	-	-
	66	上	26.0	1.0	6.7	0.5	24.1	4.2	11	2,900	8.7	7	1.6	0.092	<0.5
		中				2.0	23.8	4.9	11	3,800	8.8	-	-	-	-
		下				4.7	23.5	1.8	5.4	13,000	7.9	-	-	-	-
	23	上	25.6	1.0	11.7	0.5	24.5	4.7	12	5,800	8.8	14	0.76	0.053	<0.5

石原地区埋立事業水質監視結果（生活環境項目）

採水 年月日	地点 (St-)	採水層	気温 (℃)	透明度 (m)	全水深 (m)	採水層 (m)	水温 (℃)	COD (mg/L)	DO (mg/L)	Cl ⁻ (mg/L)	p H	SS (mg/L)	T-N (mg/L)	T-P (mg/L)	n-ヘキサン 抽出物質 (mg/L)			
2026/8/6	60	上	30.5	2.6	9.0	0.5	28.5	2.7	7.9	15,000	8.1	3	-	-	<0.5			
		中				2.0	27.8	2.6	7.3	14,000	8.1	-	-	-	-			
		下				7.0	26.1	2.0	3.7	19,000	7.9	-	-	-	-			
	61	上	30.5	2.6	10.3	0.5	28.4	2.7	8.7	13,000	8.1	8	-	-	<0.5			
		中				2.0	27.4	2.6	7.9	16,000	8.1	-	-	-	-			
		下				10.0	26.4	1.9	5.1	18,000	8.0	-	-	-	-			
	62	上	31.0	2.7	10.5	0.5	29.4	2.6	7.8	15,000	8.1	3	-	-	<0.5			
		中				2.0	27.9	2.9	8.0	14,000	8.1	-	-	-	-			
		下				10.0	24.4	1.9	2.1	19,000	7.8	-	-	-	-			
	63	上	30.8	2.6	11.3	0.5	27.8	2.7	7.1	14,000	8.1	1	-	-	<0.5			
		中				2.0	28.4	2.6	7.6	15,000	8.1	-	-	-	-			
		下				10.0	26.2	1.9	3.5	17,000	7.9	-	-	-	-			
	64	上	30.3	2.7	11.0	0.5	28.4	2.9	8.1	14,000	8.1	3	-	-	<0.5			
		中				2.0	29.0	2.6	7.4	14,000	8.1	-	-	-	-			
		下				10.0	24.0	2.0	2.4	18,000	7.7	-	-	-	-			
	65	上	30.2	2.7	9.6	0.5	27.9	2.6	7.1	15,000	8.1	2	-	-	<0.5			
		中				2.0	27.7	2.4	7.2	16,000	8.1	-	-	-	-			
		下				7.6	27.1	2.1	6.4	19,000	8.0	-	-	-	-			
	66	上	31.0	2.6	7.7	0.5	28.5	2.4	7.2	15,000	8.1	2	-	-	<0.5			
		中				2.0	29.7	2.4	6.4	16,000	8.0	-	-	-	-			
		下				5.7	28.3	2.0	6.3	17,000	8.0	-	-	-	-			
	23	上	31.6	2.4	11.6	0.5	29.3	2.6	7.5	14,000	8.2	3	-	-	<0.5			
2026/9/1	60	上	29.2	1.6	8.5	0.5	28.7	3.0	8.2	10,000	8.2	7	0.39	0.11	<0.5			
		中				2.0	29.0	2.7	7.4	13,000	8.2	-	-	-	-			
		下				6.5	29.3	2.5	6.9	15,000	8.1	-	-	-	-			
						0.5	28.9	3.0	9.6	11,000	8.2	7	0.41	0.081	<0.5			
	61	上	30.2	1.6	9.7	2.0	29.2	2.5	6.5	14,000	8.1	-	-	-	-			
		中				7.7	29.2	2.3	6.3	18,000	8.0	-	-	-	-			
		下				0.5	29.2	3.0	8.8	11,000	8.2	4	0.36	0.066	<0.5			
						2.0	29.4	3.0	7.8	13,000	8.2	-	-	-	-			
	62	上	29.9	1.8	10.3	8.3	29.4	2.2	6.6	17,000	8.1	-	-	-	-			
		中				0.5	29.0	3.0	7.7	13,000	8.1	3	0.28	0.045	<0.5			
		下				2.0	29.0	2.9	7.1	14,000	8.1	-	-	-	-			
						9.3	28.7	1.8	5.9	17,000	8.0	-	-	-	-			
	63	上	29.9	1.8	11.3	0.5	29.0	3.0	7.7	13,000	8.1	3	0.28	0.045	<0.5			
		中				2.0	29.0	2.9	7.1	14,000	8.1	-	-	-	-			
		下				9.3	28.7	1.8	5.9	17,000	8.0	-	-	-	-			
						0.5	28.7	3.0	8.5	11,000	8.1	4	0.37	0.068	<0.5			
	64	上	29.0	1.6	11.0	2.0	28.6	3.0	8.0	11,000	8.1	-	-	-	-			
		中				9.0	28.6	2.1	5.8	17,000	8.0	-	-	-	-			
		下				0.5	28.6	3.0	8.6	11,000	8.1	5	0.42	0.062	<0.5			
						2.0	28.7	2.7	7.0	14,000	8.1	-	-	-	-			
	65	上	28.6	1.8	10.0	8.0	28.5	2.1	5.5	18,000	8.0	-	-	-	-			
		中				0.5	28.8	3.0	7.4	14,000	8.1	3	0.33	0.043	<0.5			
下						2.0	28.8	2.7	6.3	17,000	8.0	-	-	-	-			
						5.7	28.7	3.1	5.4	16,000	8.0	-	-	-	-			
23	上	28.5	1.5	12.6	0.5	28.6	3.0	8.3	11,000	8.1	4	0.40	0.083	<0.5				